4	PRODUC	TION PIP	<u>E</u>		,		•
Form No 1002-C	CEMENTI	NG REPORT		14 24			
		OMPLETION REP	ORT	*.	640 Act		7
		ATION COMMISS		, 1 [-	┟╾┧╌┧╼╁	┼┼╌┼╴	1
API No Oil & Gas Conservation Division 15136-0 Jim Thorpe Bidg / Oklahoma City, Ok 73105-4993 2127 5							5
orc/occ Oper. No	(Rule	3-206)					-)) E
All operators must include this form when sub (Form No. 1002-A). The signatures on this st employees of the cementing company and operat Rule 3-206. It may be advisable to take a co cementing work is performed. <u>COMENT</u> : Please do not co	estement musicor to demon opy of this onfuse t	st be that of natrate compl form to loca his repoi	qualified iance with tion when the as ap	plyingle	te Well at	ad Outline	
to permit API No. 141-20	303, wh	ich was a	abandone	d K MY	Less	e 	. .
*1. Field Name / East Red River	*1. Field Name East Red River 2. O.C.C. District O Duncan]	
*3 Operator Helton Oil Company *4 County Tillman 5					7		
*5. Lease Name Hudgins-Reid *6. Well Number -1- P							
*7. Location	Section	Town	l nship	Range			-
NW & SW & SW & SW &	5	55	-	14W			
655' FSL & 131' FWL of 1/4 CEMENT CASING DATA section, but	SURFACE	INTER-	PRODUCTIO	N CASING		I-STAGE	
165' from nearest lse. Li	CASING	MEDIATE CASING					4
	of	CASING S Well i Sec. 5-5	S-Irw ¹²¹	iu <u>ripar</u>	lan to	TOF #0	1
8 Cementing Date			2-1-91				
*9. (a) Size of Drill Bit (inches)			7-7/8s				
(b) Estimated Z wash or hole enlargement used in calculations.			Experier	cenot	a perc	ent	
*10. Size of Casing (inches O.D)			4.5				1
*11. Top of Liner (if liner used) (ft.)			N/A				7
*12. Setting Depth of Casing (ft.)- from ground level			N/A				7
13. Type API Class Cament & amount of Additives used (a) In first (lead) or only Slurry (If additional space is meded, use "Remarks" on reverse side)	-		A NEAT				
(b) In second Slurry			N/A		·] .
(c) In third Slurry			N/A]
14 Sacks of cement used (a) In first (lead) or only Slurry			85				
(a) In first (lead) of only starty (b) In second Slurry	<u> </u> }		N/A				1
(c) In third Slurry			N/A			_]
15. Slurry Vol/Sacks of Cement (Cu ft/sack): (a) In first (lead) or only Slurry			1.180				
(b) In second Slurry			N/A]
(c) In third Slurry			N/A]
16. Vol of slurry pumped (Cu ft)(14.X15.) (a) In first (lead) or only Slurry			100.3	,-			
(b) In second Slurry			N/A				
(c) In third Slurry			N/A				_
(d) Total Slurry volume pumped (Cu ft)			100.3				_
17 Calculated Annular Height of Cement Slurry behind Pipe (ft)			1480	See an log.	nexed (It's 13	ement	Bond
18 Was cement circulated to ground surface for bortom of collar) outside cesing? Tes or No			NO				1

4

*

.

(CEMENTING COMPANY AND OPERATOR MUST COMPLY WITH THE INSTRUCTIONS ON REVERSE SIDE HEREOF)

-OVER-

*Designates items to be completed by Operator. Items not so designated shall be completed by the Cementing Co

26 Remarks	, *27. Remarks
۰ ۴	000532
CEMENTING COMPANY	* <u>OPERATOR</u>
I declare under applicable Corporation Commission rule, that I am authorized to make this certification, that the cementing of casing in this well as shown in the report was performed by me or under my supervision, and that the cementing data and facts presented on both sides of this form are true, correct and complete to the left of m knowledge. This certification covers cement- ing data only.	I declare under applicable Corporation Commission rule, that I am authorized to make this certifi- cation, that I have knowledge of the well data and information presented in this report, and that data and facts presented on both sides of this form are true, correct and complete to the best of mv knowledge This certification covers air word data and information presented meters "Signature of Operator or Authorized Repres. R. M. Helton, a general partner of HELTON OIL CO.
Name of person and Title (Type or Print)	*Name of Person and Title (Type or Print) ' Ditto, as above.
Minderman Frac & Cement Cementing Company P. O. box 626	*Operator 713 Lamar St.,
Street_Address or P. O Box () C _ C(*Street Address or P. O. Box Wichita Falls, TX 76301
ELectra, Texas 76360 City State Zip Telephone 817 495 - 3322 Area Code	*City 817-723-0729 Office 817-766-2828 Residence Telephone Area Code
<u> </u>	Date

INSTRUCTIONS

- 1. a) This form shall be filed by the operator, at the O.C.C. office in Oklahoma City, as an attachment to the Completion Report for a producing well or a dry hole.
 - b) An original and one copy of this form shall be filed as an attachment to the Completion Report, (form 1002-A) for each cementing company used on a well.
 - c) The cementing of different casing strings on a well by one cementing company may be consolidated on one form (to be filed in duplicate).
- 2 Cementing Company and Operator shall comply with the applicable portions of 0.C.C. Rule 3-206.

١

- 3. Set surface casing 50 feet below depth of treatable water to be protected and cement from casing shoe to ground surface or as allowed by Rule 3-206.
- 4. IF SETTING ANYTHING OTHER THAN THE FULL AMOUNT OF SURFACE CASING, BE SURE TO FOLLOW THE CORPORATION' COMMISSION REGULATIONS

Э