




BORE HOLE SCHEMATIC

<p>DISTRICT I 115 West 6th Avenue Bristow, OK 74010-2801 (918) 367-3396 OGBristowOffice@occcemail.com</p>
<p>DISTRICT II 101 South 6th Street Kingfisher, OK 73750-3209 (405) 375-5570 OGKingfisherOffice@occcemail.com</p>
<p>DISTRICT III 1111 W. Willow Avenue Suite 100 Duncan, OK 73533-4759 (580) 255-0103 OGDuncanOffice@occcemail.com</p>
<p>DISTRICT IV 1400 Hoppe Blvd. Suite D Ada, OK 74820-2312 (580) 332-3441 OGAdaOffice@occcemail.com</p>



**RECEIVED**  
SEP 04 2018  
OKLAHOMA  
CORPORATION COMMISSION  
DUNCAN OFFICE

Refer to Rule 165:10-11-9 for additional information concerning Temporary Exemption from Plugging of Wells.

**FOR COMMISSION USE ONLY**

APPROVED

This exemption, if approved, shall be valid until 7-23-19  
If approved, one copy will be returned to the operator stamped "approved".

DISAPPROVED

If disapproved, all materials will be returned to the operator with a note as to why the request was rejected.

[Signature]  
DISTRICT MANAGER

III  
DISTRICT


9-5-18  
DATE

[Signature]  
TECHNICAL DEPARTMENT STAFF

OTW Specialist  
TITLE


9-6-2018  
DATE

Group: Sabco Oil & Gas Well: GG Priddy#10 (acquired on: 07/23/18 16:50:29)




Filter Type High Pass Automatic Collar Count Yes Time 0.491 sec  
 Annual Acoustic Velocity 1089.35 ft/s Manual JTS/sec 17.1821 Joints 8.43643 Jts  
 Depth 267.43 ft

[ 0.0 to 1.0 (Sec) ]



Analysis Method: Automatic

Group: Sabco Oil & Gas Well: GG Priddy#10 (acquired on: 07/23/18 16:50:29)



Change in Pressure -0.13 psi PT9412  
 Change in Time 1.00 min Range 0 - ? psi

Group: Sabco Oil & Gas Well: GG Priddy#10 (acquired on: 07/23/18 16:50:29)

Production Current	Potential	Casing Pressure	Producing
Oil -*- BBL/D	-*- BBL/D	0.3 psi (g)	Annular Gas Flow -*- Mscf/D
Water -*- BBL/D	-*- BBL/D	Casing Pressure Buildup -0.126 psi	% Liquid 100 %
Gas -*- Mscf/D	-*- Mscf/D	1.00 min	
PR Method Vogel		Gas/Liquid Interface Pressure 0.4 psi (g)	
BHP/SBHP -*-			
Production Efficiency 0.0		Liquid Level Depth 267.43 ft	
Oil 40 deg.API		Pump Intake Depth -*- ft	
Water 1.05 Sp.Gr.H2O		Formation Depth 2100.00 ft	
Gas 0.88 Sp.Gr.AIR			
Acoustic Velocity 1089.35 ft/s			
Formation Submergence		Pump Intake -*- psi (g)	
Total Gaseous Liquid Column HT (TVD) 1833 ft		Producing BHP 833.6 psi (g)	
Equivalent Gas Free Liquid HT (TVD) 1833 ft		Static BHP -*- psi (g)	



Group: Sabco Oil & Gas Well: GG Priddy#10 (acquired on: 07/23/18 16:50:29)

No Collar Count Data Available **RECEIVED**

**RECEIVED**

AUG 06 2018

OKLAHOMA CORPORATION COMMISSION DUNCAN OFFICE

SEP 04 2018

OKLAHOMA CORPORATION COMMISSION DUNCAN OFFICE