API NUMBER: 139 24563

Oil & Gas

Straight Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	02/21/2013
Expiration Date:	08/21/2013

PERMIT TO DRILL

/ELL LOCATION: Sec: 16 Twp: 5N Rge: 13I	ECM County: TEXA	S			
POT LOCATION: NE SE SW NW	FEET FROM QUARTER: FROM	NORTH FROM WEST			
	SECTION LINES:	2060 1180			
Lease Name: HOVEY MORROW UNIT	Well No:	17-9	Well will be	1180 feet from nearest unit or lease boundary.	
Operator WHITING OIL AND GAS CORP Name:		Telephone: 4326866758; 43	26866	OTC/OCC Number: 17048 0	
WHITING OIL AND GAS CORP 400 W ILLINOIS AVE STE 1300 MIDLAND, TX 79701-4310			FRANK J. WEBER & CRAIG O. WEBER P.O. BOX 250		
IIII		ROBII	NSON	IL 62454	
Name 1 MORROW SAND 2 3 4 5 pacing Orders: 95900	Depth 6030 Location Exception	6 7 8 9 10 Orders:		Depth creased Density Orders:	
ending CD Numbers:			Special Orders:		
Total Depth: 6700 Ground Elevation: 33	69 Surface (Casing: 1750		to base of Treatable Water-Bearing FM: 390	
Under Federal Jurisdiction: No	Fresh Water	Supply Well Drilled: No		Surface Water used to Drill: Yes	
PIT 1 INFORMATION		Approved Method for disposal of Drilling Fluids:			
ype of Pit System: ON SITE		A. Evaporation/dewater and backfilling of reserve pit.			
ype of Mud System: WATER BASED					
chlorides Max: 12000 Average: 6000	ater greater than 10ft below base of pit? Y		H. SOIL COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOIL PIT LINER		
Vithin 1 mile of municipal water well? N Vellhead Protection Area? N					
Pit is located in a Hydrologically Sensitive Area.					
Category of Pit: 1B					
iner required for Category: 1B					
Pit Location is BED AQUIFER					

Notes:

Pit Location Formation:

OGALLALA

Description Category

2/21/2013 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR **DEEP SURFACE CASING**

SURFACE CASING


SPACING - 95900 2/21/2013 - G75 - (UNIT) 16-5N-13ECM

EST HOVEY MORROW UNIT FOR MWSD

SCALE: 1" = 800' LEGEND:



WELL LOCATION SURVEY



SURVEY OF

Locate HMU 17-9; 2060 Feet from North Line and 1180 Feet from the West Line of Section
Sixteen (18), Township Five (5) North, Range Thirteen (13) East of the Cimarron Meridian,
Texas County, Oklahoma

I. <u>William Tim Campbell</u> being a Registered Professional Land Surveyor in the State of <u>Oklahoma</u> Seal No. 1074 do hereby certify that the above plat represents an accurate survey made under my supervision and that all measurements, bearings and monuments are correctly shown and indicated on the above plat as found or staked in the field as so dated.

SEDCO-FURMAN

304 NE 4th Street P.O. Box 1214 Guymno, Oikia. 73942 Pho. 580-338-6904 Fax 580-338-2144 Email sedoc@pul.net Oikaboma C.A. 583 Expires June 30, 2013



gned: USED: 1-

SURVEY FOR WHITING PETROLEUM CORP.

Plat No. 2787

Dwg. No. G12309 Page No. 153

Book No. 947

Dwg. No. C:\dwg\dwg12\Guy\Tx\G12309 Surveyed12-6-2012

Platted 12-11-2012

Col Angelia