PERMIT TO DRULL WELLOCATION: Set: 19 Tap: 50 Rep: 22ECM County: EXAMPLE SOT LOCATION: WO WE WE WE WE WE WE SUPPORT TO BUILD ATTORN WE	PI NUMBER: 007 25606 aight Hole Oil & Gas	OIL & GAS (F OKLAHOI	ORPORATION COMMISSI CONSERVATION DIVISION P.O. BOX 52000 MA CITY, OK 73152-2000 Rule 165:10-3-1)	
SPOTLOCATION: Will Will Will Will Will Will Will Will	WELL OCATION: Soc. 10 Turn: 5N Rec.			
Operator RMMANT ENERGY INC PAULINE FINCHER JONES 2103 0 REMNANT ENERGY INC PAULINE FINCHER JONES 105 WESTHAVEN 105 WESTHAVEN PERRYTON, TX 79070-0509 PAULINE FINCHER JONES 105 WESTHAVEN Formation(s) (Permit Valid for Listed Formations Only): KS 67901 67 1 TORONTO 4650 6 7 7 8 9 10 Space Orders 50003 Location Exception Orders: 008809 Increased Density Orders: Special Orders:		FEET FROM QUARTER: FROM SI	OUTH FROM WEST	
Nime: Discretion Or operation Discretion Discretion REMNANT ENERGY INC P.O. Box 509 PERRYTON, TX 79070-0509 PAULINE FINCHER JONES 1105 WESTHAVEN LIBERAL KS 67901 Formation(s) (Permit Valid for Listed Formations Only): Name Depth Name Depth 1 TORONTO 4650 6 7 3 8 4 0 10 9 10 Spacing Orders: 50093 Location Exception Orders: BDBB9 Increased Density Orders: Spacing Orders: 50093 Location Exception Orders: BDBB9 Increased Density Orders: Total Depth: 500 Ground Elevation: 2876 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 380 Under Finderal Juritidation: No Fresh Water Supply Well Dilled: Yes Surface Water used to Dill: No PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids: A Evaporation/dewater and backfilling of reserve pit. Type of Must System: N STE A Evaporation/dewater and backfilling of reserve pit. Type of Must System: WATER BASED H Soli. COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING Soli. PIT LINER Weithead Protocol in a Hydrologically Sensitive Area. Line required for Category 18	Lease Name: PAYDAY NORTH	Well No: 1		Well will be 467 feet from nearest unit or lease boundary.
P.O. Box 509 PAULURE FINCHER JONES PERYTON, TX 79070-0509 Formation(s) (Permit Valid for Listed Formations Only): Name Depth 1 TORONTO 4 9 5 10 Specing Orders: 5 Formation(s) Ground Elevation: 2676 Specing Orders: Special Orders: Special Orders: Special Orders: Total Depth: So Ground Elevation: 2676 Surface Casing: 1500 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: Yes Surface Water used to Drill: No Pit 1 INFORMATION Approved Method for disposal of Drilling Fluids: Approved Method for disposal of Drilling Fluids: Type of Pit System: Water greater than 10th below base of pit? Y H. Soli, COMPACTED Pit, NOTIFY DISTRICT PRIOR TO TESTING SOLIL PIT LINER Welhand Protection Avair? N H. Soli, COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOLIL PIT LINER Welhand Protection Avair? N H. Soli, COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOLIL PIT LINER Welhand Protection Avair? N H. Soli, COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOLIL PIT LINER Welhand Protection Avair?			Telephone: 8066482999	OTC/OCC Number: 22103 0
P.O. Box 509 1105 WESTHAVEN LIBERAL KS Formation(s) (Permit Valid for Listed Formations Only): Name Depth 1 TORONTO 4 0 5 10 Stacing Orders: 530093 5 10 Stacing Orders: 530093 Location Exception Orders: 608869 Pending CD Numbers: Special Orders: Total Depth: 560 Ground Elevation: 2676 Surface Casing: 1500 Under Federal Jurisdiction: No Pit 1 INFORMATION Approved Method for disposal of Drilling Fluids: Type of Must System: ONTE Type of Must System: Name Verifier Mark System: Name Verifier Mark System: Name Verifier I in Koomad regression H. SOLL COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOLL PIT LINER Wellmead Protection Area? N Wellmead Protection Area? N Nume H. SOLL COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOLL PIT LINER Wellmead Protection Area? N </td <td>REMNANT ENERGY INC</td> <td></td> <td></td> <td></td>	REMNANT ENERGY INC			
PERRYTON, TX 79070-0509 LIBERAL KS 67901 Formation(s) (Permit Valid for Listed Formations Only): Name Depth Name Depth Name Depth 1 TORONTO 4650 6 2 7 3 9 4 9 10 9 5 10 5 10 Special Orders: 500033 Location Exception Orders: 608869 Increased Density Orders: Pending CD Numbers: Special Orders: Special Orders: Special Orders: Special Orders: Total Depth: 5600 Ground Elevation: 2676 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 380 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: Yes Surface Water used to Drill: No PIT 11 NFORMATION Approved Method for disposal of Drilling of reserve pit. A Evaporation/dewater and backfilling of reserve pit. No Type of Mud System: WATER BASED A Evaporation/dewater and backfilling of reserve pit. H. Solt_COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING Solt. PIT LINER Welhand	P.O. Box 509			
Formation(s) (Permit Valid for Listed Formations Only): Name Depth Name Depth 1 TORONTO 4650 6 2 7 3 8 4 9 5 10 Spacing Orders: 530093 Location Exception Orders: 608869 Pending CD Numbers: Special Orders: Special Orders: Total Depth: 5600 Ground Elevation: 2676 Surface Casing: 1500 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: Yes Surface Water used to Drill: No PHT 1 INFORMATION Approved Mathod for diaposal of Drilling Fluids: A Evaporation/dewater and backfilling of reserve pit. Type of Mud System:: WATER BASED H. SoliL COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOLIL PIT LINER Velifiead Protection Area? N Pit is located in a Hydrologically Sensitive Area. H. SoliL COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOLIL PIT LINER Velifiead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit 18 Liner required for Category: 18	PERRYTON, TX	79070-0509		
Clearing Orders. Location Exception Orders. Indreased Density Orders. Pending CD Numbers: Special Orders: Special Orders: Total Depth: 5600 Ground Elevation: 2676 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 380 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: Yes Surface Water used to Drill: No PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids: A. Evaporation/dewater and backfilling of reserve pit. Type of Pit System: WATER BASED A. Evaporation/dewater and backfilling of reserve pit. Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y H. SOIL COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOIL PIT LINER Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: 18 Liner required for Category: 1B Liner required for Category: 1B Fresh Water Supply Heil District Price Pit Supply Piters.	3 4		8 9	
Total Depth: 5600 Ground Elevation: 2676 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 380 Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: Yes Surface Water used to Drill: No PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids: A. Evaporation/dewater and backfilling of reserve pit. Type of Pit System: WATER BASED A. Evaporation/dewater and backfilling of reserve pit. Chorides Max: 8000 Average: 5000 H. SOIL COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOIL PIT LINER Is depth to top of ground water greater than 10ft below base of pit? Y H. SOIL COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOIL PIT LINER Wellhead Protection Area? N H. SOIL COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOIL PIT LINER Pit is located in a Hydrologically Sensitive Area. H. SOIL COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOIL PIT LINER Category of Pit: 18 Liner required for Category: 18	Spacing Orders: 530093	Location Exception Or	ders: 608869	Increased Density Orders:
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: Yes Surface Water used to Drill: No PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids: Type of Pit System: ON SITE A. Evaporation/dewater and backfilling of reserve pit. Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is dept to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: 18 Liner required for Category: 18	Pending CD Numbers:			Special Orders:
PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids: Type of Pit System: ON SITE A. Evaporation/dewater and backfilling of reserve pit. Type of Mud System: WATER BASED H. SOIL COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOIL PIT LINER Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: 1B Liner required for Category: 1B	Total Depth: 5600 Ground Elevation:	2676 Surface Ca	asing: 1500	Depth to base of Treatable Water-Bearing FM: 380
Type of Pit System: ON SITE Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: 1B Liner required for Category: 1B	Under Federal Jurisdiction: No	Fresh Water St	upply Well Drilled: Yes	Surface Water used to Drill: No
Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: 1B Liner required for Category: 1B	PIT 1 INFORMATION		Approved Method for	disposal of Drilling Fluids:
Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: 1B Liner required for Category: 1B Image: Category of Pit:			A. Evaporation/dewa	ter and backfilling of reserve pit.
Pit is located in a Hydrologically Sensitive Area. Category of Pit: 1B Liner required for Category: 1B	Is depth to top of ground water greater than 10ft below. Within 1 mile of municipal water well? N	/ base of pit? Y	H. SOIL COMPACTE	ED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOIL PIT LINER
Liner required for Category: 1B		3 .		
Pit Location Formation: OGALLALA	Pit Location is BED AQUIFER			

Notes:

DSC

Description

4/12/2013 - G30 - APPROVED CONTINGENT ON NOTIFYING OCC FIELD STAFF IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING

LOCATION EXCEPTION - 608869

SPACING - 530093

4/12/2013 - G30 - 19-5N-22ECM X530093 TRNT, OTHER 467 FSL, 2440 FEL REMNANT ENERGY, INC. 3/12/13 4/12/2013 - G30 - (640) 19-5N-22ECM EST TRNT EXT OTHERS