API NUMBER: 019 26006

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 11/07/2013 05/07/2014 **Expiration Date**

PERMIT TO DRILL

County: CARTER WELL LOCATION: Sec: 33 Twp: 3S Rge: 3E

FEET FROM QUARTER: FROM SPOT LOCATION: SE FROM SOUTH EAST lsw SE llsw SECTION LINES: 327

Lease Name: SAMMIE Well No: 3-33H Well will be 327 feet from nearest unit or lease boundary.

1949

XTO ENERGY INC Operator OTC/OCC Number: Telephone: 8178852283 21003 0 Name:

XTO ENERGY INC 810 HOUSTON ST

FORT WORTH. TX 76102 SAMMIE HERRIOTT

9031 STATE HIGHWAY 199

ARDMORE OK 73401

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth WOODFORD 12500 1 6 2 7 3 8 4 9 10 238746 Spacing Orders: Location Exception Orders: 613874 Increased Density Orders: 614089

Pending CD Numbers: Special Orders:

Total Depth: 18000 Ground Elevation: 702 Surface Casing: 1990 Depth to base of Treatable Water-Bearing FM: 1030

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: Yes Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: ON SITE A. Evaporation/dewater and backfilling of reserve pit. Type of Mud System: AIR

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 13-24809 Is depth to top of ground water greater than 10ft below base of pit? Y H. SEE MEMO

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: 4

Liner not required for Category: 4 Pit Location is NON HSA

Pit Location Formation: DEESE

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA
Pit Location Formation: DEESE

PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: DEESE

HORIZONTAL HOLE 1

Sec 33 Twp 3S Rge 3E County CARTER

Spot Location of End Point: NE NE NW NE

Feet From: NORTH 1/4 Section Line: 1

Feet From: EAST 1/4 Section Line: 1600

Depth of Deviation: 11100 Radius of Turn: 1000

Direction: 359

Total Length: 5127

Measured Total Depth: 18000
True Vertical Depth: 12700
End Point Location from Lease,
Unit, or Property Line: 1

Notes:

Category Description

DEEP SURFACE CASING 11/6/2013 - G71 - APPROVED CONTINGENT ON NOTIFYING OCC FIELD STAFF IMMEDIATELY

OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY

CONDUCTOR OR SURFACE CASING

INCREASED DENSITY - 614089 11/7/2013 - G30 - 33-3S-3E

X238746 WDFD 4 WELLS

XTO ENERGY INC.

7/22/13

Category Description

11/7/2013 - G30 - (I.O.) 33-3S-3E **LOCATION EXCEPTION - 613874**

X238746 WDFD

SHL 330 FSL, 1949 FEL

COMP. INT. NCT 165 FSL, NCT 165 FNL, NCT 1600 FEL

XTO ENERGY INC.

7/16/13

11/6/2013 - G71 - PITS 2 & 3 - CLOSED SYSTEM=STEEL PITS REQUIRED - WASHITA RIVER, PIT MEMO

3 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

11/7/2013 - G30 - (640) 33-3S-3E EXT 142014 WDFD, OTHERS SPACING - 238746

EXT OTHERS