

OKLAHOMA CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
P.O. BOX 52000  
OKLAHOMA CITY, OK 73152-2000  
(Rule 165:10-3-1)

API NUMBER: 095 20627

Approval Date: 11/08/2013  
Expiration Date: 05/08/2014

Horizontal Hole Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Sec: 06 Twp: 6S Rge: 7E County: MARSHALL  
SPOT LOCATION:  NW  SW  SW  SW FEET FROM QUARTER: FROM SOUTH FROM WEST  
SECTION LINES: 408 235

Lease Name: GALILEO Well No: 2-6H1 Well will be 235 feet from nearest unit or lease boundary.  
Operator Name: XTO ENERGY INC Telephone: 8178852283 OTC/OCC Number: 21003 0

XTO ENERGY INC  
810 HOUSTON ST  
FORT WORTH, TX 76102

R.L. JOHNSON COMPANY  
3998 SILO ROAD  
DURANT OK 74701

Formation(s) (Permit Valid for Listed Formations Only):

Name	Depth	Name	Depth
1 WOODFORD	6335	6	
2		7	
3		8	
4		9	
5		10	

Spacing Orders: 576256 Location Exception Orders: 616455 Increased Density Orders: 616654  
616454

Pending CD Numbers:

Special Orders:

Total Depth: 11860 Ground Elevation: 752 **Surface Casing: 1200** Depth to base of Treatable Water-Bearing FM: 730

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: Yes Surface Water used to Drill: Yes

PIT 1 INFORMATION

Type of Pit System: ON SITE  
Type of Mud System: AIR

Is depth to top of ground water greater than 10ft below base of pit? Y  
Within 1 mile of municipal water well? N  
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: 4

Liner not required for Category: 4

Pit Location is NON HSA

Pit Location Formation: BOKCHITO

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

Approved Method for disposal of Drilling Fluids:

A. Evaporation/dewater and backfilling of reserve pit.

D. One time land application -- (REQUIRES PERMIT)

H. SEE MEMO

PERMIT NO: 13-24432

This permit does not address the right of entry or settlement of surface damages.  
The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.  
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: BOKCHITO

PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: BOKCHITO

HORIZONTAL HOLE 1

Sec 01 Twp 6S Rge 6E County MARSHALL

Spot Location of End Point: SW SW NW SW

Feet From: SOUTH 1/4 Section Line: 1620

Feet From: WEST 1/4 Section Line: 1

Depth of Deviation: 4983

Radius of Turn: 1000

Direction: 270

Total Length: 5125

Measured Total Depth: 11860

True Vertical Depth: 6400

End Point Location from Lease,  
Unit, or Property Line: 1

Notes:

Category	Description
DEEP SURFACE CASING	11/5/2013 - G71 - APPROVED CONTINGENT ON NOTIFYING OCC FIELD STAFF IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
EXCEPTION TO RULE - 616454	11/8/2013 - G30 - 1-6S-6E EXCEPTION TO RULE WELL NCT 500' TO GALILEO 1-6H (API 095-20547) NO OP. NAMED 9/30/13

This permit does not address the right of entry or settlement of surface damages.  
The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.  
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category	Description
INCREASED DENSITY - 616654	11/8/2013 - G30 - 1-6S-6E X576256 WDFD 7 WELLS XTO ENERGY INC. 10/4/13
LOCATION EXCEPTION - 616455	11/8/2013 - G30 - (I.O.) 1-6S-6E X576256 WDFD SHL 408 FSL, 235 FWL 6-6S-7E COMP. INT. NCT 330 FSL, NCT 165 FEL, NCT 165 FWL 1-6S-6E XTO ENERGY INC. 9/30/13
MEMO	11/5/2013 - G71 - PITS 2 & 3 - CLOSED SYSTEM=STEEL PITS PER OPERATOR OPTION, PIT 3 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 576256	11/8/2013 - G30 - (640) 1-6S-6E REFORM 40136 WDFD EXT OTHERS

This permit does not address the right of entry or settlement of surface damages.  
The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.  
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District  
Office of the Conservation Division as to when Surface Casing will be run.