API NUMBER: 103 24602

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 11/14/2013 05/14/2014 **Expiration Date**

PERMIT TO DRILL

WELL LOCATION:	Sec:	36	Twp:	21N	Rge:	1E	County:	NOBLE
----------------	------	----	------	-----	------	----	---------	-------

FEET FROM QUARTER: WEST SPOT LOCATION: NW NW NW NW NORTH FROM SECTION LINES: 300 290

Lease Name: WISEMAN 35-21N-1E Well No: 1WH Well will be 290 feet from nearest unit or lease boundary.

DEVON ENERGY PRODUCTION CO LP Operator Telephone: 4052353611; 4052353 OTC/OCC Number: 20751 0 Name:

DEVON ENERGY PRODUCTION CO LP 333 W SHERIDAN AVE DEC 34.428

OKLAHOMA CITY. OK 73102-5010 FRANK W. WISEMAN AND KATHY D. WISEMAN

17801 HARVEST

PERRY OK 73077

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MISSISSIPPIAN	4716	6	
2	WOODFORD	4923	7	
3	SYLVAN	4974	8	
4	VIOLA	4992	9	
5			10	
Spacing Orders:	No Spacing	Location Exception Orders:		Increased Density Orders:

Pending CD Numbers: 201307073 Special Orders:

201307076

Total Depth: 10666 Ground Elevation: 1092 Surface Casing: 500 Depth to base of Treatable Water-Bearing FM: 130

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

D. One time land application -- (REQUIRES PERMIT) Type of Mud System: WATER BASED PERMIT NO: 13-24672 H. SEE MEMO Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER

Pit Location Formation: WELLINGTON

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is BED AQUIFER

Pit Location Formation: WELLINGTON

HORIZONTAL HOLE 1

Sec 35 Twp 21N Rge 1E County **NOBLE** SE Spot Location of End Point: S2 S2 SE Feet From: SOUTH 1/4 Section Line: 50 Feet From: EAST 1/4 Section Line: 660

Depth of Deviation: 4229
Radius of Turn: 955
Direction: 191
Total Length: 4326

Measured Total Depth: 10666

True Vertical Depth: 5184

End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Category Description

DEEP SURFACE CASING 11/14/2013 - G71 - APPROVED CONTINGENT ON NOTIFYING OCC FIELD STAFF IMMEDIATELY

OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY

CONDUCTOR OR SURFACE CASING

MEMO 11/14/2013 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR OPTION, PIT 2 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201307073 11/14/2013 - G30 - (640) 35-21N-1E

(HOR) EXT 610191 MSSP, WDFD, SLVN

(HOR) EST VIOL, OTHERS (VER) EST OTHERS

POE TO BHL (MSSP, VIOL) NCT 660' FB POE TO BHL (WDFD, SLVN) NCT 330' FB

(SUPERSEDE NON-DEVELOPED NON-HORIZONTAL SPACING UNITS; COEXIST WITH

PRODUCING NON-HORIZONTAL SPACING UNITS)

REC 11/12/13 (NORRIS)

PENDING CD - 201307076 11/14/2013 - G30 - 35-21N-1E

X201307073 MSSP, WDFD, SLVN, VIOL, OTHERS

MSSP, WDFD, SLVN 1ST PERF NCT 150 FNL, NCT 330 FEL

LAST PERF NCT 150 FSL, NCT 330 FEL VIOL 1ST PERF NCT 330 FNL, NCT 330 FEL LAST PERF NCT 330 FSL, NCT 330 FEL

NO OP. NAMED REC 11/12/13 (NORRIS)