

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

API NUMBER: 129 23902

Approval Date: 12/18/2013
Expiration Date: 06/18/2014

Horizontal Hole Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Sec: 24 Twp: 14N Rge: 24W County: ROGER MILLS
SPOT LOCATION: SW SW SW SE FEET FROM QUARTER: FROM SOUTH FROM EAST
SECTION LINES: 275 2637

Lease Name: MAXON Well No: 4-24H Well will be 275 feet from nearest unit or lease boundary.
Operator Name: SAMSON RESOURCES COMPANY Telephone: 9185831791 OTC/OCC Number: 5415 0

SAMSON RESOURCES COMPANY
2 W 2ND ST STE 1500
TULSA, OK 74103-3103

WILLIAM H MAXON
9402 E 253RD ST
PECULIAR MO 64078

Formation(s) (Permit Valid for Listed Formations Only):

Name	Depth	Name	Depth
1 MARMATON	11300	6	
2		7	
3		8	
4		9	
5		10	

Spacing Orders: 370946

Location Exception Orders:

Increased Density Orders:

Pending CD Numbers: 201307929
201307928

Special Orders:

Total Depth: 15797

Ground Elevation: 2643

Surface Casing: 950

Depth to base of Treatable Water-Bearing FM: 560

Under Federal Jurisdiction: No

Fresh Water Supply Well Drilled: No

Surface Water used to Drill: No

PIT 1 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: WATER BASED

Chlorides Max: 10000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: 1B

Liner required for Category: 1B

Pit Location is BED AQUIFER

Pit Location Formation: CLOUD CHIEF

Approved Method for disposal of Drilling Fluids:

A. Evaporation/dewater and backfilling of reserve pit.

B. Solidification of pit contents.

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 13-25120

H. SEE MEMO

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: ON SITE
Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000
Is depth to top of ground water greater than 10ft below base of pit? Y
Within 1 mile of municipal water well? N
Wellhead Protection Area? N
Pit is located in a Hydrologically Sensitive Area.

Category of Pit: 3
Liner required for Category: 3
Pit Location is BED AQUIFER
Pit Location Formation: CLOUD CHIEF

HORIZONTAL HOLE 1

Sec 24 Twp 14N Rge 24W County ROGER MILLS
Spot Location of End Point: C N2 N2 N2
Feet From: NORTH 1/4 Section Line: 330
Feet From: WEST 1/4 Section Line: 2640
Depth of Deviation: 10900
Radius of Turn: 433
Direction: 1
Total Length: 4628
Measured Total Depth: 15797
True Vertical Depth: 11333
End Point Location from Lease,
Unit, or Property Line: 330

Table with 3 columns: Additional Surface Owner, Address, City, State, Zip. Rows include ROBERT H AND RUBY E. MAXON and DONALD E MAXON.

Notes:

Table with 2 columns: Category, Description. Rows include DEEP SURFACE CASING, LOCATION, MEMO, PENDING CD - 201307928, and PENDING CD - 201307929.

This permit does not address the right of entry or settlement of surface damages.
The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category

Description

SPACING - 370946

12/18/2013 - G30 - (640) 24-14N-24W
EXT 164250 MRMN, OTHERS

This permit does not address the right of entry or settlement of surface damages.
The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.