API NUMBER: 045 23414 Α

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

12/09/2013 Approval Date: Expiration Date: 06/09/2014

Horizontal Hole Oil & Gas Amend reason: CHANGE OPERATOR

AMEND PERMIT TO DRILL

T LOCATIO	N: NW NW N	E NE	FEET FROM QUARTER: FROM SECTION LINES:	NORTH FRO	DM EAST 1110			
ease Name	: JACKS		Well No:	4-28H		Well will be	100 feet from neares	st unit or lease bounda
Operator Name:	PPP PETROLEUM	LP		Telephone:	2142316832		OTC/OCC Number:	23356 0
	TROLEUM LP	D 075 4000			SHIRL	EY ARMOUR		
2101 CE	EDAR SPRINGS RI	D STE 1800			3725 V	VREN LANE AVI	F	
	_				0720 1	*******************		
DALLAS	S ,	TX	75201-1585			WORTH	_ -	6133
DALLAS			75201-1585 rmations Only):				_ -	
	s) (Permit Valid f		rmations Only):		FORT		TX 70	
ormation(s) (Permit Valid f		rmations Only):		FORT		TX 70	
ormation(s) (Permit Valid f		rmations Only):		FORT Name		TX 70	
ormation(1 2 3 4	s) (Permit Valid f		rmations Only):		FORT Name 6 7 8		TX 70	
ormation(1 2 3	s) (Permit Valid f		rmations Only):		FORT Name 6 7 8		TX 70	
ormation(1 2 3 4	s) (Permit Valid f Name CLEVELAND		rmations Only):	on Orders: 6184	FORT Name 6 7 8 9 10	WORTH	TX 70	

Fresh Water Supply Well Drilled: No Under Federal Jurisdiction: No Surface Water used to Drill: No

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 13-25010 H. SEE MEMO

Chlorides Max: 100000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation: OGALLALA

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: OGALLALA

HORIZONTAL HOLE 1

Sec 28 Twp 18N Rge 24W County **ELLIS** NE Spot Location of End Point: С N2 ΝE Feet From: NORTH 1/4 Section Line: 330 Feet From: EAST 1/4 Section Line: 660

Depth of Deviation: 8857 Radius of Turn: 600

Direction: 5

Total Length: 4498

Measured Total Depth: 14298

True Vertical Depth: 9457

End Point Location from Lease,
Unit, or Property Line: 330

Notes:

Category Description

DEEP SURFACE CASING 12/3/2013 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

> X588987 CLVD XOTHER 1 WELL NO OP. NAMED 11-27-2013

LOCATION EXCEPTION - 618454 12/5/2013 - G75 - (I.O.) 28-18N-24W

X588987 CLVD, OTHÉRS

XOTHER

POE NCT 330 TO SL, NCT 660 TO EL BHL NCT 330 TO NL, NCT 660 TO EL

NO OP. NAMED 11-22-2013

MEMO 12/3/2013 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 2 -

OBM TO VENDOR, OBM CUTTINGS PER DISTRICT

POINT OF ENTRY 12/20/2013 - G75 - NOT CLOSER THAN 330' TO SL, NOT CLOSER THAN 660' TO EL 28-18N-24W

PER OPERATOR

Category

Description

SPACING - 588987

12/5/2013 - G75 - (640)(HOR) 28-18N-24W EXT 585689 CLVD, OTHERS EXT OTHER EST OTHER POE TO BHL NCT 660' FB (COEXIST SP. ORDER # 479562 CLVD)