API NUMBER: 045 23424

Lease Name: TERRY LEA

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 01/09/2014 07/09/2014 Expiration Date:

PERMIT TO DRILL

WELL LOCATION:	Sec:	10	Twp:	18N	Rge:	23W	/ (County:	ELLIS	;		
SPOT LOCATION:	S2	S2	SE	:	SW		FEET FROM QUAR	RTER:	FROM	SOUTH	FROM	WEST
							SECTION LINES:			250		1980

Well will be 250 feet from nearest unit or lease boundary.

LE NORMAN OPERATING LLC Operator OTC/OCC Number: Telephone: 4055481200 22738 0 Name:

Well No: 1H-15

LE NORMAN OPERATING LLC 4727 GAILLARDIA PKWY STE 200

OKLAHOMA CITY. OK 73142-1881 TEDDY RAY MILLER & TERRY LEA MILLER

P.O. BOX 296

ARNETT OK 73832

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	CLEVELAND	9083 6		
2		7		
3		8		
4		9		
5		10	0	
Spacing Orders:	91750	Location Exception Orders:		Increased Density Orders:

Pending CD Numbers: 201308487 Special Orders:

Total Depth: 14057 Ground Elevation: 2332 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 580

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: WATER BASED Chlorides Max: 35000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

located in a Hydrologically Sensitive Area.

Category of Pit: 1B

Liner required for Category: 1B Pit Location is BED AQUIFER Pit Location Formation: OGALLALA Approved Method for disposal of Drilling Fluids:

A. Evaporation/dewater and backfilling of reserve pit.

D. One time land application -- (REQUIRES PERMIT) H. SOIL COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOIL PIT LINER

PERMIT NO: 14-26110

HORIZONTAL HOLE 1

Sec 15 Twp 18N Rge 23W County **ELLIS** Spot Location of End Point: С S2 SE SW 330 Feet From: SOUTH 1/4 Section Line: Feet From: WEST 1/4 Section Line: 1980

Depth of Deviation: 8503
Radius of Turn: 580
Direction: 180
Total Length: 4643

Measured Total Depth: 14057

True Vertical Depth: 9083

End Point Location from Lease,
Unit, or Property Line: 330

Notes:

Category Description

DEEP SURFACE CASING 1/9/2014 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

PENDING CD - 201308487 1/9/2014 - G75 - (I.O.)

X91750 CLVD

SHL NCT 200 FSL, NCT 1980 FWL 10-18N-23W

FIRST PERF NCT 330 FNL, NCT 1980 FWL 15-18N-23W LAST PERF NCT 330 FSL, NCT 1980 FWL 15-18N-23W

NO OP. NAMED

REC 1-7-2014 (STUCK)

SPACING - 91750 1/9/2014 - G75 - (640) 15-18N-23W

EXT 68593 CLVD, OTHERS

EXT OTHERS

