I NUMBER: 105	41136 Oil & Gas	OIL & GAS CO P.(OKLAHOM/	RPORATION COMMISSI DNSERVATION DIVISION D. BOX 52000 A CITY, OK 73152-2000 Ile 165:10-3-1)	-
		PE	RMIT TO DRILL	
VELL LOCATION: Sec		- -		
POT LOCATION: SE	SE NE SE	FEET FROM QUARTER: FROM SOL SECTION LINES:	ITH FROM WEST	
		1620) 2495	
Lease Name: SOON	IER	Well No: 7		Well will be 165 feet from nearest unit or lease boundar
Operator RC Name:	DCKY TOP ENERGY LLC	T	elephone: 9182737444	OTC/OCC Number: 22945 0
ROCKY TOP I	ENERGY LLC		OANDY O	
114 S MAPLE ST				REK RANCH
NOWATA, OK		74048-3402	P O BOX	727
,	•••		NOWATA	OK 74048
3 4 5 Spacing Orders: No S	Spacing	Location Exception Orde	8 9 10 rs:	Increased Density Orders:
Pending CD Numbers:	spacing			Special Orders:
Total Depth: 1300	Ground Elevation:	Surface Cas	ing: 0	Depth to base of Treatable Water-Bearing FM: 40
Cement will be	circulated from Total	Depth to the Ground Surfa	ce on the Production Ca	sing String.
Under Federal Jurisdiction: No Fresh V		Fresh Water Sup	bly Well Drilled: No	Surface Water used to Drill: No
	PIT 1 INFORMATION		Approved Method for disposal of Drilling Fluids:	
PIT 1 INFORMATION	ON SITE		A. Evaporation/dewat	er and backfilling of reserve pit.
PIT 1 INFORMATION Type of Pit System: C				
	AIR			
Type of Pit System: C Type of Mud System:	AIR d water greater than 10ft below b	base of pit? Y	H. CBL REQUIRED	
Type of Pit System: C Type of Mud System: Is depth to top of groun	d water greater than 10ft below b	base of pit? Y	H. CBL REQUIRED	
Type of Pit System: C Type of Mud System: Is depth to top of groun	d water greater than 10ft below t pal water well? N	base of pit? Y	H. CBL REQUIRED	
Type of Pit System: C Type of Mud System: Is depth to top of groun Within 1 mile of municip Wellhead Protection Arr Pit is not located in	d water greater than 10ft below t pal water well? N	base of pit? Y	H. CBL REQUIRED	
Type of Pit System: C Type of Mud System: Is depth to top of groun Within 1 mile of municip Wellhead Protection Arr Pit is not located in Category of Pit: 4	d water greater than 10ft below to bal water well? N ea? N a Hydrologically Sensitive Area.	base of pit? Y	H. CBL REQUIRED	
Type of Pit System: C Type of Mud System: Is depth to top of groun Within 1 mile of municip Wellhead Protection Arr Pit is not located in Category of Pit: 4 Liner not required for	d water greater than 10ft below to bal water well? N ea? N a Hydrologically Sensitive Area. Category: 4	base of pit? Y	H. CBL REQUIRED	
Type of Pit System: C Type of Mud System: Is depth to top of groun Within 1 mile of municip Wellhead Protection Arr Pit is not located in Category of Pit: 4	d water greater than 10ft below b bal water well? N ea? N a Hydrologically Sensitive Area. Category: 4 HSA	base of pit? Y	H. CBL REQUIRED	

Notes:

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run. Description

ALTERNATE CASING1/13/2014 - G71 - APPROVED - COPY OF CBL NEEDS TO BE SUBMITTED TO THE TECHNICAL
STAFF IMMEDIATELY. A COMPLETION ATTEMPT, IN CASES WHERE THE PROTECTION OF THE
TREATABLE WATER IS QUESTIONABLE, IS STRICTLY PROHIBITED. RULE 165: 10-3-4 (D)(4)(C)FRAC FOCUS1/13/2014 - G71 - THE REQUIREMENT FOR CHEMICAL DISCLOSURE OF HYDRAULIC
FRACTURING INGREDIENTS WILL BE EXTENDED TO INCLUDE ALL NON-HORIZONTAL WELLS
FOR HYDRAULIC FRACTURING OPERATIONS BEGINNING JANUARY 1, 2014. REFER TO OCC
RULE 165:10-3-10 FOR COMPLIANCE REQUIREMENTS. PLEASE REPORT DIRECTLY TO
FRACFOCUS USING THE FOLLOWING LINK HTTP://FRACFOCUS.ORG/ OR FOR OCC
ASSISTANCE CONTACT DENNIS NISKERN AT 405-522-2977 OR D.NISKERN@OCCEMAIL.COMSPACING1/13/2014 - G30 - FORMATION UNSPACED, 570 ACRE LEASE (2-26N-14E LESS 70-ACRE TRACT
BEING N2 NW4 LESS NW4 NW4 NW4)