

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35129238810000

Completion Report

Spud Date: October 16, 2013

OTC Prod. Unit No.: 129-212249

Drilling Finished Date: December 19, 2014

1st Prod Date: January 07, 2014

Completion Date: January 07, 2014

Drill Type: HORIZONTAL HOLE

Well Name: RON 6-14-24 1H

Purchaser/Measurer: ENABLE GATHERING &
PROCESSING LLC

First Sales Date: 1/7/2014

Location: ROGER MILLS 6 14N 24W
N2 N2 NE NW
250 FNL 1980 FWL of 1/4 SEC
Latitude: 35.72485 Longitude: -99.79416
Derrick Elevation: 0 Ground Elevation: 2089

Operator: APACHE CORPORATION 6778

6120 S YALE AVE STE 1500
TULSA, OK 74136-4224

| Completion Type | |
|-----------------|---------------|
| X | Single Zone |
| | Multiple Zone |
| | Commingled |

| Location Exception | |
|--------------------|--------|
| Order No | |
| | 616908 |
| | 617119 |

| Increased Density | |
|-------------------|--------|
| Order No | |
| | 616959 |

| Casing and Cement | | | | | | | |
|-------------------|--------|--------|---------|-------|-----|------|------------|
| Type | Size | Weight | Grade | Feet | PSI | SAX | Top of CMT |
| SURFACE | 13 3/8 | 48 | H-40 | 610 | | 695 | SURFACE |
| INTERMEDIATE | 9 5/8 | 40 | HCK-55 | 5525 | | 1285 | SURFACE |
| INTERMEDIATE | 7 | 29 | HCP-110 | 10863 | | 385 | 4776 |
| PRODUCTION | 4 1/2 | 15 | P-110HC | 15722 | | 540 | 9863 |

| Liner | | | | | | | | |
|--|------|--------|-------|--------|-----|-----|-----------|--------------|
| Type | Size | Weight | Grade | Length | PSI | SAX | Top Depth | Bottom Depth |
| There are no Liner records to display. | | | | | | | | |

Total Depth: 15722

| Packer | |
|---|--------------|
| Depth | Brand & Type |
| There are no Packer records to display. | |

| Plug | |
|---------------------------------------|-----------|
| Depth | Plug Type |
| There are no Plug records to display. | |

| Initial Test Data | | | | | | | | | | |
|-------------------|-----------|-------------|-------------------|-------------|-------------------------|---------------|-------------------|--------------------------|------------|----------------------|
| Test Date | Formation | Oil BBL/Day | Oil-Gravity (API) | Gas MCF/Day | Gas-Oil Ratio Cu FT/BBL | Water BBL/Day | Pumpin or Flowing | Initial Shut-In Pressure | Choke Size | Flow Tubing Pressure |
| Jan 25, 2014 | MARMATON | 455 | 55 | 8096 | 17793 | 479 | FLOWING | 5119 | 22/64 | |

| Completion and Test Data by Producing Formation | | | | | | | | | | |
|---|------------------|--|---------------|---|--|------------|-----------|--|--|--|
| Formation Name: MARMATON | | | Code: 404MRMN | | | Class: GAS | | | | |
| Spacing Orders | | | | Perforated Intervals | | | | | | |
| Order No | Unit Size | | | From | | | To | | | |
| 112842 | 640 | | | 11160 | | | 15352 | | | |
| Acid Volumes | | | | Fracture Treatments | | | | | | |
| 13 STAGE FRAC; 642.8 BBL 15% HCl | | | | 13 STAGE FRAC; 2,031,441# TOTAL PROP; 63,054 BBL TLTR | | | | | | |

| Formation | Top |
|-----------------|-------|
| TONKAWA | 8754 |
| MARMATON | 10518 |
| DEESE | 10971 |
| MARMATON A SAND | 11160 |

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

| Other Remarks |
|--|
| OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED. IRREGULAR SECTION. |

| Lateral Holes |
|--|
| Sec: 6 TWP: 14N RGE: 24W County: ROGER MILLS |
| SE SW SW SW |
| 250 FSL 600 FWL of 1/4 SEC |
| Depth of Deviation: 10468 Radius of Turn: 573 Direction: 202 Total Length: 4773 |
| Measured Total Depth: 15722 True Vertical Depth: 11125 End Pt. Location From Release, Unit or Property Line: 250 |

| FOR COMMISSION USE ONLY |
|-------------------------|
| Status: Accepted |
| 1122736 |

1/17/14
 Oklahoma Corporation Commission
 Oil & Gas Conservation Division
 Post Office Box 52000
 Oklahoma City, Oklahoma 73152-2000
 Rule 165: 10-3-25

Form 1002A

1016EZ

API No.: 06129238810000

Completion Report

Spud Date: October 16, 2013

OTC Prod. Unit No.: 129-212249

Drilling Finished Date: December 19, 2014

1st Prod Date: January 07, 2014

Completion Date: January 07, 2014

A: 210391 # → S

Drill Type: HORIZONTAL HOLE

Well Name: RON 6-14-24 1H

Purchaser/Measurer: ENABLE GATHERING & PROCESSING LLC

First Sales Date: 1/7/2014

Location: ROGER MILLS 6 14N 24W
 N2 N2 NE NW
 250 FNL 1980 FWL of 1/4 SEC
 Latitude: 35.72485 Longitude: -99.79416
 Derrick Elevation: 0 Ground Elevation: 2089

Operator: APACHE CORPORATION 6778

6120 S YALE AVE STE 1500
 TULSA, OK 74136-4224

| Completion Type | | Location Exception | | Increased Density | |
|-----------------|---------------|--------------------|--|-------------------|--|
| X | Single Zone | Order No | | Order No | |
| | Multiple Zone | 616908 | | 616959 | |
| | Commingled | 617119 | | | |

| Casing and Cement | | | | | | | |
|-------------------|--------|--------|---------|-------|-----|------|------------|
| Type | Size | Weight | Grade | Feet | PSI | SAX | Top of CMT |
| SURFACE | 13 3/8 | 48 | H-40 | 610 | | 695 | SURFACE |
| INTERMEDIATE | 9 5/8 | 40 | HCK-55 | 5525 | | 1285 | SURFACE |
| INTERMEDIATE | 7 | 29 | HCP-110 | 10863 | | 385 | 4776 |
| PRODUCTION | 4 1/2 | 15 | P-110HC | 15722 | | 540 | 9863 |

| Liner | | | | | | | | | |
|--|------|--------|-------|--------|-----|-----|-----------|--------------|--|
| Type | Size | Weight | Grade | Length | PSI | SAX | Top Depth | Bottom Depth | |
| There are no Liner records to display. | | | | | | | | | |

Total Depth: 15722

| Packer | |
|---|--------------|
| Depth | Brand & Type |
| There are no Packer records to display. | |

| Plug | |
|---------------------------------------|-----------|
| Depth | Plug Type |
| There are no Plug records to display. | |

1/25/14 404 MRMN 5119

E 2

1004