Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000 Rule 165: 10-3-25

API No.: 35003227730000

OTC Prod. Unit No.: 003-212493

Completion Report

Spud Date: November 16, 2013

Drilling Finished Date: December 03, 2013

1st Prod Date: January 24, 2014

Completion Date: January 24, 2014

Min Gas Allowable: Yes

Purchaser/Measurer: ATLAS PIPELINE MC WESTOK, LLC First Sales Date: 01/24/2014

Drill Type: HORIZONTAL HOLE

Well Name: WILDER 2610 1-17H

Location: ALFALFA 17 26N 10W N2 N2 N2 N2 NE 200 FNL 1320 FEL of 1/4 SEC Derrick Elevation: 1170 Ground Elevation: 1147

Operator: SANDRIDGE EXPLORATION & PRODUCTION LLC 22281

123 ROBERT S KERR AVE STE 1702 OKLAHOMA CITY, OK 73102-6406

	Completion Type	Location Exception	ן ך	Increased Density
Х	Single Zone	Order No	ון	Order No
	Multiple Zone	618088		There are no Increased Density records to display.
	Commingled			

	Casing and Cement									
1	Туре		Size	Weight	Grade	Feet		PSI SAX		Top of CMT
SUI	SURFACE		9 5/8	36#	J-55	992			490	SURFACE
PROE	PRODUCTION		7	26#	P-110	6140			460	1993
	Liner									
Туре	Size	Wei	ght	Grade	Length	PSI	SAX	Тор	Depth	Bottom Depth
LINER	4 1/2	11.0	6#	N-80	4097	0	0	6	6049	10146

Total Depth: 10146

Pac	ker	Plug			
Depth	Depth Brand & Type		Plug Type		
There are no Packe	r records to display.	There are no Plug records to display.			

				Initial Tes	t Data					
Test Date Formation Oil BBL/Day		Oil-Gravity (API)	/ Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut- In Pressure	Choke Size	Flow Tubing Pressure	
Feb 16, 2014 MISSISSIPPIAN 29.53		29.53	40	593	20085	2353	PUMPING	50	42/64	110
		Com	pletion ar	d Test Data b	by Producing F	ormation				
	Formation Name: MISS		Code: 35	9MSSP	C	Class: GAS				
	Spacing Orders									
Order No Unit Size				Fron						
604	935	640		There are						
	Acid Volumes			7						
	30,000 GALS 15% HCL AG	CID	48	,809 BBLS TC	ID					
Formation		То	р	v	/ere open hole l	ogs run? Ye	S			
MISSISSIPPIA	N		5855 Date last log run: December 01, 2013							

Were unusual drilling circumstances encountered? No Explanation:

Other Remarks

OPEN HOLE FROM 6140' TO 10,146'. NO PERFORATIONS. NO CEMENT BEHIND 4 1/2". OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED. RREGULAR SECTION.

Lateral Holes
Sec: 17 TWP: 26N RGE: 10W County: ALFALFA
SE SW SW SE
205 FSL 1986 FEL of 1/4 SEC
Depth of Deviation: 4600 Radius of Turn: 577 Direction: 180 Total Length: 4673
Measured Total Depth: 10146 True Vertical Depth: 5507 End Pt. Location From Release, Unit or Property Line: 205

FOR COMMISSION USE ONLY

Status: Accepted

1122999

Oklahoma Corporation Cor ission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000 Rule 165: 10-3-25

Completion Report

API No.: \$5003227730000

.

OTC Prod. Unit No.: 003-212493

A: 212493 I

Drill Type: HORIZONTAL HOLE

Well Name: WILDER 2610 1-17H

Location: ALFALFA 17 26N 10W N2 N2 N2 NE 200 FNL 1320 FEL of 1/4 SEC Derrick Elevation: 1170 Ground Elevation: 1147

Operator: SANDRIDGE EXPLORATION & PRODUCTION LLC 22281

> 123 ROBERT S KERR AVE STE 1702 OKLAHOMA CITY, OK 73102-6406

Spud Date: November 16, 2013

Form 1002A

1016EZ

Drilling Finished Date: December 03, 2013

1st Prod Date: January 24, 2014

Completion Date: January 24, 2014

Min Gas Allowable: Yes

Purchaser/Measurer: ATLAS PIPELINE MC WESTOK, LLC First Sales Date: 01/24/2014

	Completion Type	Location Exception	Increased Density
X	Single Zone	Order No	Order No
	Multiple Zone	618088	There are no Increased Density records to display.
	Commingled		

			Ca	asing and Cer	nent				
•	Гуре	Siz	e Weight	Weight Grade Feet		et	PSI	SAX	Top of CMT
SU	SURFACE		8 36#	36# J-55		992		490	SURFACE
PROI	PRODUCTION		26#	P-110	6140			460	1993
				Liner					
Туре	Size	Weight	Grade	Length	PSI SAX		Top Depth		Bottom Depth
LINER	4 1/2	11.6#	N-80	4097	0	0		6049	10146

Total Depth: 10146

Ра	cker		Р	lug
Depth	Depth Brand & Type		Depth	Plug Type
There are no Pack	er records to display.		There are no Plug	records to display.

359 MSS



