PI NUMBER: 085 21223	OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)			04/11/2014 : 10/11/2014
	<u>PE</u>	RMIT TO DRILL		
WELL LOCATION: Sec: 32 Twp: 7S Rge: 2	2E County: LOVE			
	FEET FROM QUARTER: FROM NO	RTH FROM WEST		
	SECTION LINES: 530	0 1865		
Lease Name: RACHEL	Well No: 1-3	32H	Well will be 530 feet from near	est unit or lease boundary.
Operator XTO ENERGY INC Name:		Telephone: 8178853255	OTC/OCC Number:	21003 0
XTO ENERGY INC		RACHEL	M BREWSTER REVOCABLE	TRUST
810 HOUSTON ST			P.O. BOX 368	
FORT WORTH, TX 76102-6203		MARIETT		73448
Formation(s) (Permit Valid for Listed For Name 1 WOODFORD 2 SYLVAN 3 HUNTON 4 5	ormations Only): Depth 15500 15700 15750	Name 6 7 8 9 10	Der	oth
Spacing Orders: 622589	Location Exception Orde	ers: 623033	Increased Density Orders:	
Pending CD Numbers:			Special Orders:	
Total Depth: 22100 Ground Elevation: 8	Surface Cas	sing: 440	Depth to base of Treatable Wat	ter-Bearing FM: 190
Under Federal Jurisdiction: No	Fresh Water Sup	oply Well Drilled: Yes	Surface Water	used to Drill: Yes
PIT 1 INFORMATION		Approved Method for o	disposal of Drilling Fluids:	
Type of Pit System: ON SITE		A. Evaporation/dewa	ter and backfilling of reserve pit.	
Type of Mud System: AIR		D. One time land app	lication (REQUIRES PERMIT)	PERMIT NO: 14-2687
Is depth to top of ground water greater than 10ft below b Within 1 mile of municipal water well? Y Wellhead Protection Area? Y	pase of pit? Y	H. SEE MEMO		
Pit <b>is not</b> located in a Hydrologically Sensitive Area.				
Category of Pit: 4				
Liner not required for Category: 4				
Liner not required for Category: 4 Pit Location is NON HSA Pit Location Formation: BOKCHITO				

PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? Y Wellhead Protection Area? Y Pit is not located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C

Pit Location is NON HSA
Pit Location Formation: BOKCHITO

## PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? Y Wellhead Protection Area? Y Pit is not located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C Pit Location is NON HSA Pit Location Formation: BOKCHITO

## HORIZONTAL HOLE 1

Natas

Sec 32 Twp 7S Rge 2E County LOVE SE Spot Location of End Point: SW SE SW SOUTH Feet From: 1/4 Section Line: 1 Feet From: EAST 1/4 Section Line: 1900 Depth of Deviation: 15100 Radius of Turn: 1000 Direction: 176 Total Length: 5429 Measured Total Depth: 22100 True Vertical Depth: 16700 End Point Location from Lease, Unit, or Property Line: 1

Description
4/11/2014 - G30 - (I.O.) 32-7S-2E X622589 WDFD, HNTN, SLVN XOTHER SHL 530 FNL, 1865 FWL COMP. INT. NCT 165 FNL, NCT 165 FSL, NCT 330 FEL XTO ENERGY INC. 3/21/14
4/10/2014 - G71 - PITS 2 & 3 - CLOSED SYSTEM=STEEL PITS PER OPERATOR OPTION, PIT 3 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

## Description

MUNICIPAL WATER WELL/WELLHEAD PROTECTION AREA

SPACING - 622589

4/9/2014 - G71 - MARIETTA PWA - 1 MW/WPA, NW/4 29-T7S-R2E

4/11/2014 - G30 - (640) 32-7S-2E EXT 615583 WDFD, SLVN, HNTN, OTHER