API NUMBER: 105 41182

Injection

Straight Hole

Notes:

## OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	05/09/2014
Expiration Date:	11/09/2014

PERMIT TO DRILL

LL LOCATION: Sec: 01	Twp: 26N Rge: 15E	County: NOW	/ATA			
OT LOCATION: NW SV		FROM QUARTER: FROM	SOUTH FROM WEST			
		ON LINES:	333 240			
Lease Name: CHAPPELL		Well No:	W14	Well will be	240 feet from nearest unit or lease boundary	
Operator ROCKY TO	OP ENERGY LLC		Telephone: 9182737444		OTC/OCC Number: 22945 0	
Name:			.,			
ROCKY TOP ENERG	GY LLC					
114 S MAPLE ST				W. E. MADDUX		
NOWATA, OK 74048-3402			322	322 N. PINE STREET		
			NO	WATA	OK 74048	
Name	Valid for Listed Formatio	Depth		me	Depth	
1 BARTLESVILL 2	E	750	6 7			
3			8			
4			9			
5			10			
acing Orders: No Spacing		Location Exception	Orders:	lı	ncreased Density Orders:	
, ,				S	pecial Orders:	
nding CD Numbers:	Ground Elevation: 0	Surface	Casing: 0		pecial Orders: to base of Treatable Water-Bearing FM: 40	
nding CD Numbers:  Total Depth: 850	Ground Elevation: 0			Depth	to base of Treatable Water-Bearing FM: 40	
Total Depth: 850  Cement will be circul	lated from Total Depth t	to the Ground S		Depth	to base of Treatable Water-Bearing FM: 40	
nding CD Numbers:  Total Depth: 850  Cement will be circul  Under Federal Jurisdiction:	lated from Total Depth t	to the Ground S	urface on the Product	Depth	to base of Treatable Water-Bearing FM: 40  Surface Water used to Drill: No	
nding CD Numbers:  Total Depth: 850  Cement will be circul Under Federal Jurisdiction:  IT 1 INFORMATION	lated from Total Depth t	to the Ground S	urface on the Product r Supply Well Drilled: No Approved Me	Depth	to base of Treatable Water-Bearing FM: 40  Surface Water used to Drill: No	
nding CD Numbers:  Total Depth: 850  Cement will be circul Under Federal Jurisdiction:  IT 1 INFORMATION type of Pit System: ON SITE	lated from Total Depth t	to the Ground S	urface on the Product r Supply Well Drilled: No Approved Me	Depth  ion Casing String	to base of Treatable Water-Bearing FM: 40  Surface Water used to Drill: No	
Total Depth: 850  Cement will be circul Under Federal Jurisdiction: IT 1 INFORMATION type of Pit System: ON SITE type of Mud System: AIR depth to top of ground water of	lated from Total Depth to No	to the Ground S Fresh Water	urface on the Product r Supply Well Drilled: No Approved Me	Depth  ion Casing String  thod for disposal of Drillin  on/dewater and backfillir	to base of Treatable Water-Bearing FM: 40  Surface Water used to Drill: No	
Total Depth: 850  Cement will be circul Under Federal Jurisdiction: IT 1 INFORMATION Type of Pit System: ON SITE Type of Mud System: AIR Type of Mud S	lated from Total Depth to No	to the Ground S Fresh Water	urface on the Product r Supply Well Drilled: No Approved Me A. Evaporati	Depth  ion Casing String  thod for disposal of Drillin  on/dewater and backfillir	to base of Treatable Water-Bearing FM: 40  Surface Water used to Drill: No	
Cement will be circul Under Federal Jurisdiction: IT 1 INFORMATION upe of Pit System: ON SITE upe of Mud System: AIR depth to top of ground water of ithin 1 mile of municipal water ellhead Protection Area?	lated from Total Depth to No greater than 10ft below base of powell?	to the Ground S Fresh Water	urface on the Product r Supply Well Drilled: No Approved Me A. Evaporati	Depth  ion Casing String  thod for disposal of Drillin  on/dewater and backfillir	to base of Treatable Water-Bearing FM: 40  Surface Water used to Drill: No	
Cement will be circul Under Federal Jurisdiction: IT 1 INFORMATION //pe of Pit System: ON SITE //pe of Mud System: AIR depth to top of ground water of ithin 1 mile of municipal water fellhead Protection Area? t is located in a Hydrol	lated from Total Depth to No  greater than 10ft below base of powell?  N	to the Ground S Fresh Water	urface on the Product r Supply Well Drilled: No Approved Me A. Evaporati	Depth  ion Casing String  thod for disposal of Drillin  on/dewater and backfillir	to base of Treatable Water-Bearing FM: 40  Surface Water used to Drill: No	
Cement will be circul Under Federal Jurisdiction: IT 1 INFORMATION //pe of Pit System: ON SITE //pe of Mud System: AIR depth to top of ground water of fithin 1 mile of municipal water fellhead Protection Area? t is located in a Hydrol ategory of Pit: 4	lated from Total Depth of No  greater than 10ft below base of powell? N N ogically Sensitive Area.	to the Ground S Fresh Water	urface on the Product r Supply Well Drilled: No Approved Me A. Evaporati	Depth  ion Casing String  thod for disposal of Drillin  on/dewater and backfillir	to base of Treatable Water-Bearing FM: 40  Surface Water used to Drill: No	
Cement will be circul Under Federal Jurisdiction: IT 1 INFORMATION ype of Pit System: ON SITE ype of Mud System: AIR depth to top of ground water of fithin 1 mile of municipal water fellhead Protection Area? it is located in a Hydrol ategory of Pit: 4 iner not required for Categor	lated from Total Depth of No  greater than 10ft below base of powell? N N ogically Sensitive Area.	to the Ground S Fresh Water	urface on the Product r Supply Well Drilled: No Approved Me A. Evaporati	Depth  ion Casing String  thod for disposal of Drillin  on/dewater and backfillir	to base of Treatable Water-Bearing FM: 40  Surface Water used to Drill: No	
Cement will be circul Under Federal Jurisdiction: PT 1 INFORMATION ype of Pit System: ON SITE ype of Mud System: AIR depth to top of ground water of dithin 1 mile of municipal water fellhead Protection Area? it is located in a Hydrol ategory of Pit: 4 iner not required for Categor it Location is ALLUVIAL it Location Formation: ALL	lated from Total Depth of No  greater than 10ft below base of powell? N N ogically Sensitive Area.	to the Ground S Fresh Water	urface on the Product r Supply Well Drilled: No Approved Me A. Evaporati H. CBL REC	Depth  ion Casing String  thod for disposal of Drillin  on/dewater and backfillir	to base of Treatable Water-Bearing FM: 40  Surface Water used to Drill: No	

Category Description

ALTERNATE CASING 4/15/2014 - G71 - APPROVED; COPY OF CBL NEEDS TO BE SUBMITTED TO OCC TECHNICAL

STAFF IMMEDIATELY. A COMPLETION ATTEMPT, IN CASES WHERE THE PROTECTION OF THE TREATABLE WATER IS QUESTIONABLE, IS STRICTLY PROHIBITED PER OCC 165:10-3-4(D)(4)

C)

FRAC FOCUS 4/15/2014 - G71 - THE REQUIREMENT FOR CHEMICAL DISCLOSURE OF HYDRAULIC

FRACTURING INGREDIENTS WILL BE EXTENDED TO INCLUDE ALL NON-HORIZONTAL WELLS FOR HYDRAULIC FRACTURING OPERATIONS BEGINNING JANUARY 1, 2014. REFER TO OCC RULE 165:10-3-10 FOR COMPLIANCE REQUIREMENTS. PLEASE REPORT DIRECTLY TO FRACFOCUS USING THE FOLLOWING LINK HTTP://FRACFOCUS.ORG/ OR FOR OCC

ASSISTANCE CONTACT DENNIS NISKERN AT 405-522-2977 OR D.NISKERN@OCCEMAIL.COM

SPACING 4/21/2014 - G75 - NA-INJECTION WELL