PI NUMBER:	129 23938 Oil & Gas	A	OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)			Approval Date: Expiration Date	04/09/2014 : 10/09/2014	
end reason: CHANG	BE SURFACE CASIN	IG DEPTH	AME	ND PERMIT	TO DRILL			
WELL LOCATION:	Sec: 27 Two	o: 14N Rge: 2	24W County: ROGEF	RMILLS				
SPOT LOCATION:			7	ORTH FROM	WEST			
of of LooAnold.			SECTION LINES:	70	1355			
Lease Name:	FARRELL 22-14-24			2H		Vell will be 170 feet from nea	rest unit or lease boundary.	
Operator Name:	APACHE CORPO	DRATION		Telephone:	9184914900; 9184914	OTC/OCC Number	6778 0	
	CORPORATIO				DENA ROW	LAN FKA FARRELL, REMA	INDERMAN	
6120 S YALE AVE STE 1500					1900 SOUTH LL MALES AVENUE			
TULSA, OK 74136-4224					CHEYENNE	OK	73628	
2 3 4 5	128051				7 8 9 10			
Spacing Orders: 128051 Location Exception Or				rders:	Increased Density Orders:			
Pending CD Numb	pers: 201401786 201401787					Special Orders:		
Total Depth: 1	6300 Gr	ound Elevation:	Surface C	asing: 950		Depth to base of Treatable Wa	ter-Bearing FM: 540	
Under Federal	Jurisdiction: No		Fresh Water S	Supply Well Drille	d: No	Surface Wate	r used to Drill: No	
PIT 1 INFORMA	TION				approved Method for disp	-		
Type of Pit System: ON SITE					A. Evaporation/dewater and backfilling of reserve pit.			
Type of Mud System: WATER BASED Chlorides Max: 200000 Average: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N					D. One time land application (REQUIRES PERMIT) PERMIT NO: 14-26703 H. SEE MEMO			
Within 1 mile of n Wellhead Protect		Ν						
	ted in a Hydrologicall	y Sensitive Area.						
Category of Pit:								
Liner required for	or Category: 1B							
Pit Location is								
Pit Location Form	nation: DOXEY							

PIT 2 INFORMATION Type of Pit System: ON SITE Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: 3 Liner required for Category: 3

Pit Location is OTHER HSA Pit Location Formation: DOXEY

HORIZONTAL HOLE 1

ty ROGER MILLS NW 330 1320										
Measured Total Depth: 16300										
True Vertical Depth: 11207										
End Point Location from Lease, Unit, or Property Line: 330										
		City, State, Zip CHEYENNE, OK 73628 CHEYENNE, OK 73628 CHEYENNE, OK 73628								
Description										
5/16/2014 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR SURFACE CASING										
3/26/2014 - G71 - PITS 1 & 2 - CONCRETE LINED PIT PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT										
3/26/2014 - G30 - 22-14N-24W X128051 MRMN 2 WELLS NO OP. NAMED REC 4/8/14 (JOHNSON)										
3/26/2014 - G30 - 22-14N-24W X128051 MRMN SHL NCT 100 FSL, NCT 100 F IST PERF NCT 300 FSL, NCT LAST PERF NCT 300 FNL, NC NO OP. NAMED REC 4/8/14 (JOHNSON)	FWL** T 500 FWL CT 500 FWL	ON EXCEPTION								
	Additional Surface Owner KAREN FARRELL LIFE ESTATE DANA BARTON FKA FARRELL, REM DANNY FARRELL, REMAINDERMAN Description 5/16/2014 - G71 - APPROVEE OF CIRCULATION OR FAILU SURFACE CASING 3/26/2014 - G71 - PITS 1 & 2 RETURNED TO VENDOR, CU 3/26/2014 - G30 - 22-14N-24V X128051 MRMN 2 WELLS NO OP. NAMED REC 4/8/14 (JOHNSON) 3/26/2014 - G30 - 22-14N-24V X128051 MRMN 2 WELLS NO OP. NAMED REC 4/8/14 (JOHNSON) 3/26/2014 - G30 - 22-14N-24V X128051 MRMN SHL NCT 100 FSL, NCT 100 I 1ST PERF NCT 300 FSL, NCT LAST PERF NCT 300 FSL, NCT LAST PERF NCT 300 FSL, NCT NO OP. NAMED REC 4/8/14 (JOHNSON)	Additional Surface Owner Address Address KAREN FARRELL LIFE ESTATE 1900 SOUTH L.L. MALES AVENUE DANA BARTON FKA FARRELL, REM 1900 SOUTH L.L. MALES AVENUE DANNY FARRELL, REMAINDERMAN 1900 SOUTH L.L. MALES AVENUE DANNY FARRELL, REMAINDERMAN 1900 SOUTH L.L. MALES AVENUE DEscription 5/16/2014 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMME OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE URACE CASING 3/26/2014 - G71 - PITS 1 & 2 - CONCRETE LINED PIT PER OPERATOF RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT 3/26/2014 - G30 - 22-14N-24W X128051 MRMN 2WELLS NO OP. NAMED REC 4/8/14 (JOHNSON) 3/26/2014 - G30 - 22-14N-24W X128051 MRMN SHL NCT 100 FSL, NCT 100 FWL** 1ST PERF NCT 300 FSL, NCT 500 FWL NO OP. NAMED								

SPACING - 128051

Description

3/26/2014 - G30 - (640) 22-14N-24W DEL OTHERS EXT 125353 MRMN, OTHERS