PI NUMBER: 119 24224 rizontal Hole Oil & Gas	OIL & GAS OKLAHO	CORPORATION COMMI CONSERVATION DIVIS P.O. BOX 52000 MA CITY, OK 73152-20 (Rule 165:10-3-1)		Approval Date: Expiration Date:	05/21/2014 11/21/2014	
	I	PERMIT TO DRILL				
WELL LOCATION: Sec: 33 Twp: 18N Rge: 3E						
	SECTION LINES:					
Lease Name: NELSON 28-18N-3E		235 847 1WH	Well will be 235	feet from nearest u	init or lease boundary.	
Operator AMERICAN ENERGY-WOODFORD LI Name:	-C	Telephone: 4054188001; 40	54188 OTC	/OCC Number:	23358 0	
AMERICAN ENERGY-WOODFORD LLC PO BOX 18756		KENN	ETH W. NELSON			
OKLAHOMA CITY, OK 7	3154-0756	10401	SOUTH LOCKWOO	CKWOOD		
		PERK	INS	OK 740	59	
2 WOODFORD 3 MISENER-HUNTON 4 5	4385 4400	7 8 9 10				
Spacing Orders: 620155	Location Exception C	rders: 625527	Increase	ed Density Orders:		
Pending CD Numbers:			Special (Orders:		
Total Depth: 10500 Ground Elevation: 970	Surface C	asing: 340	Depth to base	e of Treatable Water-B	earing FM: 290	
Under Federal Jurisdiction: No	Fresh Water Supply Well Drilled: No			Surface Water used to Drill: Yes		
PIT 1 INFORMATION		Approved Metho	d for disposal of Drilling Fluid	ds:		
Type of Pit System: CLOSED Closed System Means Ste	el Pits					
Type of Mud System: WATER BASED			d application (REQUIRES	,		
Chlorides Max: 5000 Average: 3000		H. CLOSED SY	STEM=STEEL PITS PER O	PERATOR REQUEST		
Is depth to top of ground water greater than 10ft below base	of pit? Y					
Within 1 mile of municipal water well? N Wellhead Protection Area? N						
Pit is located in a Hydrologically Sensitive Area.						
Category of Pit: C						
Liner not required for Category: C						

HORIZONTAL HOLE 1

Sec 28 Twp 18N Rge 3E Coun	Ity PAYNE
Spot Location of End Point: NW NE NE	E NE
Feet From: NORTH 1/4 Section Line:	165
Feet From: EAST 1/4 Section Line:	435
Depth of Deviation: 4200	
Radius of Turn: 509	
Direction: 5	
Total Length: 5500	
Measured Total Depth: 10500	
True Vertical Depth: 4400	
End Point Location from Lease,	
Unit, or Property Line: 165	
Notes:	
Category	Description
BOTTOM-HOLE LOCATION	5/21/2014 - G75 - 165' FNL, 435' FEL NE4 28-18N-3E PER OPERATOR
LOCATION EXCEPTION - 625527	5/21/2014 - G75 - (I.O.) 28-18N-3E X620155 MSSP, WDFD, MSRH
	COMPL. INT. NCT 165 FSL, NCT 165 FNL, NCT 330 FEL
	AMERICAN ENERGY-WOODFORD, LLC 5-16-2014
SPACING - 620155	5/21/2014 - G75 - (640)(HOR) 28-18N-3E
	VAC 347056 MISS EXT 593301 MSSP, WDFD, MSRH
	POE TO BHL (MSSP, MSRH) NCT 660' FB
	POE TO BHL (WDFD) NCT 330' FB (SUPERSEDE NON-DEVELOPED NON-HORIZONTAL SPACING UNITS)
SURFACE LOCATION	5/21/2014 - G75 - 235' FNL, 847' FEL NE4 33-18N-3E PER SURVEY PLAT

