

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35119241410000

Completion Report

Spud Date: November 23, 2013

OTC Prod. Unit No.: 119-213366

Drilling Finished Date: December 08, 2013

1st Prod Date: March 28, 2014

Completion Date: March 28, 2014

Drill Type: HORIZONTAL HOLE

Well Name: SPARKS 24-18N-2W 1WH

Purchaser/Measurer:

Location: PAYNE 30 18N 1W
SE NW NW NW
470 FNL 510 FWL of 1/4 SEC
Derrick Elevation: 955 Ground Elevation: 930

First Sales Date:

Operator: DEVON ENERGY PRODUCTION CO LP 20751

333 W SHERIDAN AVE DEC 34.428
OKLAHOMA CITY, OK 73102-5010

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
616464

Increased Density
Order No
There are no Increased Density records to display.

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	16	84#	K-55	65		50	SURFACE
SURFACE	9-5/8	363	J-55	505		325	SURFACE
INTERMEDIATE	7	26#	RYH-110E	5895		410	3358

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4-1/2	11.60#	RYH-110E	5651	0	565	5128	10779

Total Depth: 10779

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
10692	CEMENT

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Apr 14, 2014	WOODFORD	22		6	273	2607	PUMPING		35/64	

Completion and Test Data by Producing Formation										
Formation Name: WOODFORD			Code: 319WDFD			Class: OIL				
Spacing Orders				Perforated Intervals						
Order No		Unit Size		From			To			
614802		640		5945			10606			
Acid Volumes				Fracture Treatments						
708 BBLs 15 STAGES				56700# 100 MESH						
				3346564# 30/50						
				178111 BBLs. FLUID						

Formation	Top
WOODFORD	5735

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks
IRREGULAR SECTION. OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED.

Lateral Holes

Sec: 24 TWP: 18N RGE: 2W County: PAYNE

N2 N2 NE NE

47 FNL 660 FEL of 1/4 SEC

Depth of Deviation: 5166 Radius of Turn: 258 Direction: 348 Total Length: 5355

Measured Total Depth: 10779 True Vertical Depth: 5411 End Pt. Location From Release, Unit or Property Line: 47

FOR COMMISSION USE ONLY

1124449

Status: Accepted