API NUMBER: 045 23484

Type of Mud System: WATER BASED

Within 1 mile of municipal water well? N

Is depth to top of ground water greater than 10ft below base of pit? Y

is located in a Hydrologically Sensitive Area.

Chlorides Max: 8000 Average: 5000

Wellhead Protection Area?

Category of Pit: 1B

Liner required for Category: 1B

Pit Location is BED AQUIFER

Pit Location Formation: OGALLALA

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 06/11/2014
Expiration Date: 12/11/2014

PERMIT TO DRILL

		·							
WELL LOCATION: Sec: 27	Twp: 21N Rge: 24W	County: ELLIS							
SPOT LOCATION: SE SV	V SE SE	FEET FROM QUARTER: FROM \$	SOUTH FROM	EAST	Г				
		SECTION LINES: 2	200	900					
Lease Name: TORRANCE 2	7-21-24	Well No:	2H		We	ell will be 200	feet from nearest	unit or lease boundary.	
Operator APACHE C Name:	ORPORATION		Telephone:	9184914	900; 9184914	отс	/OCC Number:	6778 0	
APACHE CORPORA				(CURTIS E. TO	ORRANCE &	KAY YVONNE	FORRANCE	
	74400 4004	RR 3, BOX 5							
TULSA,	OK 7	74136-4224		(GAGE		OK 73	843	
1 COTTAGE GRO	OVE	Depth 7324		6 7 8 9 10			Depth		
Spacing Orders: 623360	Location Exception O	Location Exception Orders:			Increased Density Orders:				
Pending CD Numbers: 20140 20140						Special (Orders:		
Total Depth: 12000	Ground Elevation: 227	Surface C	asing: 440			Depth to base	e of Treatable Water-	Bearing FM: 390	
Under Federal Jurisdiction:	No	Fresh Water S	Supply Well Drille	d: No			Surface Water us	ed to Drill: No	
PIT 1 INFORMATION			Approved Method for disposal of Drilling Fluids:						
Type of Pit System: ON SITE			A. Evaporation/dewater and backfilling of reserve pit.						

D. One time land application -- (REQUIRES PERMIT)

H. CONCRETE-LINED PIT PER OPERATOR REQUEST

PERMIT NO: 14-27432

HORIZONTAL HOLE 1

Sec 27 Twp 21N Rge 24W County **ELLIS** Spot Location of End Point: SE NW NE NE 335 Feet From: NORTH 1/4 Section Line: Feet From: EAST 1/4 Section Line: 700

Depth of Deviation: 7700 Radius of Turn: 573

Direction: 4

Total Length: 4738

Measured Total Depth: 12000
True Vertical Depth: 7352
End Point Location from Lease,
Unit, or Property Line: 335

Notes:

Category Description

PENDING CD - 201403901 6/10/2014 - G72 - 27-21N-24W (E.O.)

X 623360 CGGV

SHL NCT 200 FSL, NCT 1000 FEL

FIRST PERF NCT 300 FSL, NCT 500 FEL; LAST PERF NCT 300 FNL, NCT 500 FEL;

NO OPER NAMED; REC 6/9/2014 (JOHNSON)

PENDING CD - 201403906 6/10/2014 - G72 - 27-21N-24W

X 623360 CGGV;

1 WELL;

NO OPER NAMED;

HRG 6/24/2014 (JOHNSON)

SPACING - 623360 6/10/2014 - G72 - (640)(HOR) 27-21N-24W

EST CGGV

POE TO BHL NCT 660' FB (SUPERSEDE SP. ORDER # 98320 CGGV; COEXIST WITH PRODUCING NON-HORIZONTAL SPACING UNITS)

