

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

API NUMBER: 009 21937

Approval Date: 06/19/2014
Expiration Date: 12/19/2014

Horizontal Hole Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Sec: 30 Twp: 11N Rge: 26W County: BECKHAM
SPOT LOCATION: NW NE NW NW FEET FROM QUARTER: FROM NORTH FROM WEST
SECTION LINES: 220 710

Lease Name: JUANITA Well No: 3-30H Well will be 220 feet from nearest unit or lease boundary.
Operator Name: ENERVEST OPERATING LLC Telephone: 7134956530 OTC/OCC Number: 19848 0

ENERVEST OPERATING LLC
1001 FANNIN ST STE 800
HOUSTON, TX 77002-6708

PAULA SMITH
2400 PARK STREET
FINDLAY OH 45840-

Formation(s) (Permit Valid for Listed Formations Only):

Name	Depth	Name	Depth
1 GRANITE WASH LOW (DES MOINES)	2	6	
2		7	
3		8	
4		9	
5		10	

Spacing Orders: No Spacing

Location Exception Orders:

Increased Density Orders:

Pending CD Numbers:

Special Orders:

Total Depth: 17715 Ground Elevation: 2237 **Surface Casing: 450** Depth to base of Treatable Water-Bearing FM: 310

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 265000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? Y

Wellhead Protection Area? Y

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is AP/TE DEPOSIT

Pit Location Formation: TERRACE

Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 14-27407
H. CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST

This permit does not address the right of entry or settlement of surface damages.
The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

HORIZONTAL HOLE 1

Sec 30 Twp 11N Rge 26W County BECKHAM

Spot Location of End Point: SW SE SW SW

Feet From: SOUTH 1/4 Section Line: 245

Feet From: WEST 1/4 Section Line: 710

Depth of Deviation: 13202

Radius of Turn: 165

Direction: 90

Total Length: 4709

Measured Total Depth: 17715

True Vertical Depth: 13197

End Point Location from Lease,
Unit, or Property Line: 245

Notes:


Category	Description
MUNICIPAL WATER WELL/WELLHEAD PROTECTION AREA	6/6/2014 - G71 - BECKHAM CO RWD #2 - 1 WELL, NW/4 19-11N-26W
PENDING CD - 201403998	6/19/2014 - G72 - 30-11N-26W & FRAC 25-11N-27W (I.O.) X 166467 DMGWL; SHL NCT 220 FNL NCT 630 FWL; POE NCT 330 FNL NCT 710 FWL; COMP INT. NCT 330 FNL NCT 330 FSL NCT 710 FWL; BHL NCT 245 FSL NCT 710 FWL; REC 6/18/2014 (OSBURN)
SPACING - 166467	6/18/2014 - G72 - 30-11N-26W & FRAC 25-11N-27W EXT 157235 DMLGW, OTHERS; EST OTHERS

This permit does not address the right of entry or settlement of surface damages.
The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

API 00921937

PROPOSED NEW WELL LOCATION PLAT

COMPANY ENERVEST OPERATING, LLC LEASE JUANITA WELL NO. 3-30H
 SECTION 30 TOWNSHIP 11-N RANGE 26-W1M LOCATION 220' FNL 630' FWL
 COUNTY BECKHAM STATE OKLAHOMA TOPOGRAPHY AND VEGETATION SAND / PASTURE
 LATITUDE 35°24'26.08" LONGITUDE -99°59'49.70" NAD27 ELEVATION 2237' NGVD29 DATE STAKED 5/15/14
 DIRECTION FROM NEAREST TOWN APPROXIMATELY 4.5 MILES SOUTHWEST OF SWEETWATER, OKLAHOMA



- WELL LEGEND**
- PERMITTED
 - ◇ DRY HOLE
 - OIL
 - ☆ GAS
 - ★ OIL/GAS
 - PLUGGED OIL
 - ✱ PLUGGED GAS
 - ✱ PLUGGED OIL/GAS

- NOTE:**
- This plat is intended for Oklahoma Corporation Commission Permit purposes only and is NOT to be relied upon as a boundary survey and is NOT to be used to convey or establish real property interests.
 - Bearings and dimensions shown are based on Geodetic Azimuth and Ground Distances. All XY coordinates are based on NAD27, Oklahoma South Zone, U.S. Feet.
 - XY Coordinates were derived from GPS RTK methods and are only accurate within +/- 10 feet.
 - As-drilled data shown on this plat was provided by client and/or third party. Information was not near has not been field verified by Surveyor.

Scale 1" = 1000'

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY MYSELF OR OTHERS UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

SIGNED: *[Signature]* DATED: 5/16/14



APEX
 SURVEYING & MAPPING, INC.
 TEXAS • OKLAHOMA • KANSAS
 8330 CANYON DRIVE AMARILLO, TEXAS 79119 806-363-7231
 105 HACKBERRY TRAIL CANADIAN, TEXAS 79014 806-323-9773
 Certificate of Authorization No. 3415, Exp. June 30, 2014

ENERVEST
 1001 FANNIN STREET SUITE 800 HOUSTON, TEXAS 77002

FIELD:	KB,GPS
DRAWN:	SDT
DATE:	5/16/14
CHECKED:	MLS
REVISION:	

JOB NO. 214-352-1.2