PI NUMBER: 031 21639 raight Hole Oil & Gas	OIL & GAS CO P.( OKLAHOMA	RPORATION COMMISS DNSERVATION DIVISIO D. BOX 52000 A CITY, OK 73152-2000 Ile 165:10-3-1)		Approval Date: 06/24/2014 Expiration Date: 12/24/2014
	PER	RMIT TO DRILL		
WELL LOCATION: Sec: 01 Twp: 4N Rge: 12W	County: COMANCH	ΙE		
	T FROM QUARTER: FROM SOU	TH FROM WEST 2440		
Lease Name: LAWSON-HULETT-GILBREATH	Well No: 1		Well will be 2	00 feet from nearest unit or lease boundary.
Operator R & M OPERATING & PROD CO Name:	т	elephone: 2108973343	0	TC/OCC Number: 16653 0
R & M OPERATING & PROD CO PO BOX 596		KIM HUL		
LAKEHILLS, TX 780	063-0596	14525 HI	GHWAY 6	
		EASTLAN	ND	TX 76448
2 3 4 5 Spacing Orders: No Occurring	Location Exception Order	7 8 9 10	Incre	ased Density Orders:
No Spacing				
Pending CD Numbers:			Speci	al Orders:
Total Depth: 450 Ground Elevation: 1292	Surface Casi	ing: 0	Depth to b	ase of Treatable Water-Bearing FM: 400
Cement will be circulated from Total Depth			asing String.	
Under Federal Jurisdiction: No	Fresh Water Supp	ly Well Drilled: No		Surface Water used to Drill: Yes
PIT 1 INFORMATION		Approved Method for	disposal of Drilling F	luids:
Type of Pit System: ON SITE		A. Evaporation/dewa	ater and backfilling of	reserve pit.
Type of Mud System: WATER BASED				
Chlorides Max: 5000 Average: 3000		H. CBL REQUIRED		
Is depth to top of ground water greater than 10ft below base of	fpit? Y			
Within 1 mile of municipal water well? N				
Wellhead Protection Area? N				
Pit <b>is not</b> located in a Hydrologically Sensitive Area.				
Category of Pit: 2				
Liner not required for Category: 2				
Pit Location is NON HSA				

Pit Location is NON HSA Pit Location Formation: HENNESSEY Type of Pit System: ON SITE Type of Mud System: AIR Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. Category of Pit: 4 Liner not required for Category: 4

Pit Location is NON HSA

PIT 2 INFORMATION

Pit Location Formation: HENNESSEY

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

Notes:	
Category	Description
ALTERNATE CASING	6/11/2014 - G71 - APPROVED CONTINGENT ON (1) MUDDING UP PRIOR TO TD TO PROTECT SHALLOW SANDS & (2) COPY OF CBL NEEDS TO BE SUBMITTED TO THE TECHNICAL STAFF IMMEDIATELY. A COMPLETION ATTEMPT, IN CASES WHERE THE PROTECTION OF THE TREATABLE WATER IS QUESTIONABLE, IS STRICTLY PROHIBITED. RULE 165: 10-3-4 (D)(4)(C)
FRAC FOCUS	6/11/2014 - G71 - THE REQUIREMENT FOR CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS WILL BE EXTENDED TO INCLUDE ALL NON-HORIZONTAL WELLS FOR HYDRAULIC FRACTURING OPERATIONS BEGINNING JANUARY 1, 2014. REFER TO OCC RULE 165:10-3-10 FOR COMPLIANCE REQUIREMENTS. PLEASE REPORT DIRECTLY TO FRACFOCUS USING THE FOLLOWING LINK HTTP://FRACFOCUS.ORG/ OR FOR OCC ASSISTANCE CONTACT DENNIS NISKERN AT 405-522-2977 OR D.NISKERN@OCCEMAIL.COM
SPACING	6/23/2014 - G91 - FORMATION UNSPACED 160-ACRE LEASE (SE4)

weta Op# 16653 EXPINES 4/29/15 Gentalmen, I AM requesting AN ExTENSION ON the Following Permits of Application to Drill. These are the well #5 + NAMES THAT Follow! API (D. S. J. MAHOON #1 - Comanche, Co. OK Sec6-4North-11we 031-21040 SW&-SW&-SW& TOTAL Depth 450' ELEVATION-1250 031-785 WATER BASE - 370' (PerMAIN SAND) SUFFACE OWNER-STEPHEN J. MATE eupire 7 12/24/14 OPERATOR - REM pperATINg & Production Co. #16653 (2) LAWSON-Hulett-Gibrenth #1-Comanche, Co. OK API 39 TOTAL Depth 450' Elevation 1292' WATER BASE 370' Alb39 (Permine SAND) SULFACE OWNER - Kim HULEH API 031-21639 031-2167 Operator - REM Operating & Aroduction Co. #16653 Approved for 6 Month Thanks, Extension From Ken Mc MAhon 17-24-14 P.O. BON 596 LAKehills, TX. 78063 12-29-161 Phone: 210-897-3343 RECEIVED REM DEC 2 6 2014 Operating & Production Co. OKLAHOMA CORPORATION Kenneth McMahon Hiority Mail 210-897-3343 12/22/14 Lakehills, TX – Dirty Shame, OK \* Scheduled del'U 12/23/14 by 3pm +