API NUMBER: 031 21640

Oil & Gas

Straight Hole

Wellhead Protection Area?

Liner not required for Category: 2Pit Location is NON HSA

Pit Location Formation: HENNESSEY

Category of Pit: 2

Pit is not located in a Hydrologically Sensitive Area.

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 06/24/2014
Expiration Date: 12/24/2014

PERMIT TO DRILL

		<u></u>		
VELL LOCATION: Sec: 06 Twp: 4N Rge	: 11W County: COI	MANCHE		
POT LOCATION: NW SW SW SW		SOUTH FROM WEST		
	SECTION LINES:	390 200		
Lease Name: S. J. MATTOON	Well No:	1	Well will be 200 feet from nearest unit or lease boundary	
Operator R & M OPERATING & PROD C Name:	co	Telephone: 2108973343	OTC/OCC Number: 16653 0	
R & M OPERATING & PROD CO		CTED	DUEN I MATTOON	
PO BOX 596			PHEN J MATTOON	
LAKEHILLS, TX	78063-0596	16384	4 NW. MABDISCHE	
- '		OPAC	CHE OK 73006	
1 PERMIAN 2 3 4 5 Spacing Orders: No Spacing	450 Location Exceptio	6 7 8 9 10 n Orders:	Increased Density Orders:	
Pending CD Numbers:			Special Orders:	
Total Depth: 500 Ground Elevation	n: 1250 Surface	Casing: 0	Depth to base of Treatable Water-Bearing FM: 420	
Cement will be circulated from Total			n Casing String.	
Under Federal Jurisdiction: No	Fresh Wat	er Supply Well Drilled: No	Surface Water used to Drill: Yes	
PIT 1 INFORMATION	ATION		Approved Method for disposal of Drilling Fluids:	
Type of Pit System: ON SITE		A. Evaporation/	/dewater and backfilling of reserve pit.	
Type of Mud System: WATER BASED				
Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft belowithin 1 mile of municipal water well? N	pp of ground water greater than 10ft below base of pit? Y		H. CBL REQUIRED	

PIT 2 INFORMATION

Type of Pit System: ON SITE Type of Mud System: AIR

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well?

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: 4

Liner not required for Category: 4

Pit Location is NON HSA

HENNESSEY Pit Location Formation:

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

Notes:

Description Category

ALTERNATE CASING 6/11/2014 - G71 - APPROVED CONTINGENT ON (1) MUDDING UP PRIOR TO TD TO PROTECT

> SHALLOW SANDS & (2) COPY OF CBL NEEDS TO BE SUBMITTED TO THE TECHNICAL STAFF IMMEDIATELY. A COMPLETION ATTEMPT, IN CASES WHERE THE PROTECTION OF THE TREATABLE WATER IS QUESTIONABLE, IS STRICTLY PROHIBITED. RULE 165: 10-3-4 (D)(4)(C)

FRAC FOCUS 5/19/2014 - G71 - THE REQUIREMENT FOR CHEMICAL DISCLOSURE OF HYDRAULIC

FRACTURING INGREDIENTS WILL BE EXTENDED TO INCLUDE ALL NON-HORIZONTAL WELLS FOR HYDRAULIC FRACTURING OPERATIONS BEGINNING JANUARY 1, 2014. REFER TO OCC RULE 165:10-3-10 FOR COMPLIANCE REQUIREMENTS. PLEASE REPORT DIRECTLY TO FRACFOCUS USING THE FOLLOWING LINK HTTP://FRACFOCUS.ORG/ OR FOR OCC ASSISTANCE CONTACT DENNIS NISKERN AT 405-522-2977 OR D.NISKERN@OCCEMAIL.COM

SPACING 6/24/2014 - G91 - FORMATION UNSPACED 157-ACRE LEASE (SW4) Op# 16653 Swety 459/15

Gentalmen,

I AM recoverting AN Extension on the Following

Permits of Application to Drill. These are the

well #5 + NAMES THAT Follow! API 031-21640

(NO S. J. MATHOON #1 - Comanche, Co. OK Sec6-4North-11wo

031-21660 Sw4-Sw4-Sw4 Total Depth 450' Eleration-1250

ONE WATER BASE - 370' (Permain SAND) Surface OWNER- STEPHEN J. MATH

OPERATOR - REM OPERATING & Production Co. #16653

2) LAWSON-Hulett-Gibreath #1-Comanche, Co. OK Sec. 1 - HNORTH - 12 West - SE4-SE4-SE4-SE4 TOTAL Depth 450' Elevation 1292' Water Base 370' Permise SAND) Surface OWNER - Kim Hulett OBLAND Operator - REM Operating & Production Co. #16653

Approved for 6 Month Extension From

12-24-14

12-29-14

440

Thanks, Ken Mc MAhon P.O. Box 596 LAKehills, Tx. 78063

Phone: 210-897-3343

RECEIVED

DEC 2 6 2014

OKLAHOMA CORPORATION COMMISSION

Priority Mail Sent 12/20/14



+ Scheduled del'u 12/23/H by 3pm +