API NUMBER: 045 23538

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 11/19/2014 05/19/2015 **Expiration Date**

PERMIT TO DRILL

WELL LOCATION: Sec: Twp: 18N Rge: 24W County: ELLIS FEET FROM QUARTER: SPOT LOCATION: NW FROM NORTH FROM NW ll NE

WEST SECTION LINES: 260 1700

Lease Name: MDT 19-18-24 Well No: 1H Well will be 260 feet from nearest unit or lease boundary.

CHESAPEAKE OPERATING LLC Operator OTC/OCC Number: Telephone: 4059358143: 4059358 17441 0 Name:

CHESAPEAKE OPERATING LLC

PO BOX 18496

OKLAHOMA CITY. OK 73154-0496 **BRENDA GIFFIN**

14078 W. 146TH ST. SOUTH

SAPULPA OK 74066

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth TONKAWA 1 7695 6 2 CLEVELAND 8913 7 MARMATON 9280 8 3 9 5 10 593675 Spacing Orders: Location Exception Orders: 612699 Increased Density Orders: 612698 594168 626406 626405

Pending CD Numbers: Special Orders:

Total Depth: 14050 Ground Elevation: 2255 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 520

Under Federal Jurisdiction: Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

PIT 1 INFORMATION

Type of Pit System: ON SITE Type of Mud System: WATER BASED

Chlorides Max: 25000 Average: 8000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: 1B

Liner required for Category: 1B Pit Location is AP/TE DEPOSIT Pit Location Formation: TERRACE Approved Method for disposal of Drilling Fluids:

H. SEE MEMO

A. Evaporation/dewater and backfilling of reserve pit.

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 14-28876

PIT 2 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 160000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: 3

Liner required for Category: 3

Pit Location is AP/TE DEPOSIT

Pit Location Formation: TERRACE

HORIZONTAL HOLE 1

Sec 19 Twp 18N Rge 24W County **ELLIS** SW Spot Location of End Point: SE SW SF Feet From: SOUTH 1/4 Section Line: 200 Feet From: WEST 1/4 Section Line: 1700

Depth of Deviation: 8504
Radius of Turn: 780
Direction: 180
Total Length: 4321

Measured Total Depth: 14050

True Vertical Depth: 9284

End Point Location from Lease,
Unit, or Property Line: 200

Notes:

Category Description

DEEP SURFACE CASING 11/14/2014 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

INCREASED DENSITY - 612698 11/18/2014 - G75 - 19-18N-24W

X593675 CLVD 2 WELLS

CHESAPEAKE OP., INC. (NOW CHESAPEAKE OP., L.L.C.)

6-12-2013

INCREASED DENSITY - 626405 11/18/2014 - G75 - EXTEND 612698 UNTIL 6-12-2015

LOCATION EXCEPTION - 612699 11/18/2014 - G75 - (I.O.) 19-18N-24W

X593675 CLVD, TNKW **

X594168 MRMN

COMPL. INT. NCT 330 FNL, NCT 330 FSL, NCT 1320 FWL CHESAPEAKE OP., INC. (NOW CHESAPEAKE OP., L.L.C.)

6-12-2013

** S/B X593675 CLVD & X594168 TNKW; TO BE CORRECTED AT HEARING FOR FINAL ORDER

LOCATION EXCEPTION PER OPERATOR

LOCATION EXCEPTION - 626406 11/18/2014 - G75 - EXTEND 612699 UNTIL 6-12-2015

MEMO 11/14/2014 - G71 - PIT 1 & 2 - CONCRETE-LINED PIT PER OPERATOR REQUEST; PIT 2 - OBM TO

VENDOR, OBM CUTTINGS PER DISTRICT

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

045 23538 MDT 19-18-24 1H

Category Description

11/18/2014 - G75 - (640) 19-18N-24W EXT 177603 CLVD, OTHERS **SPACING - 593675**

EXT OTHER

SPACING - 594168 11/18/2014 - G75 - (640)(HOR) 19-18N-24W

EST TNKW, MRMN, OTHERS POE TO BHL NCT 660' FB

(SUPERSEDE NON-DEVELOPED NON-HORIZONTAL SPACING UNITS; COEXIST WITH

PRODUCING NON-HORIZONTAL SPACING UNITS)