API NUMBER: 047 24968 orizontal Hole Oil & Gas WELL LOCATION: Sec: 03 Twp: 24N Rge: 7W SPOT LOCATION: SE SE SE SE Lease Name: HARMON 2407	OIL & GAS OKLAHO County: GARF FEET FROM QUARTER: FROM	CORPORATION COMM CONSERVATION DIV P.O. BOX 52000 DMA CITY, OK 73152-2 (Rule 165:10-3-1) PERMIT TO DRILL IELD SOUTH FROM EAST 300 300 2-3H	ISION	Approval Date: 11/26/2014 Expiration Date: 05/26/2015 300 feet from nearest unit or lease bounda	
Operator SANDRIDGE EXPLORATION & PRO Name:	DDUCTION LLC	Telephone: 4054296169		OTC/OCC Number: 22281 0	
SANDRIDGE EXPLORATION & PRODU 123 ROBERT S KERR AVE STE 1702 OKLAHOMA CITY, OK	JCTION LLC 73102-6406		ION A. HAYES & S SCISSORTAIL LI		
Formation(s) (Permit Valid for Listed Forr Name	nations Only): Depth	Nan	ne	Depth	
1 MISSISSIPPIAN	5767	6			
2 3		7 8			
3		8			
5		10			
Spacing Orders: 613459	Location Exception	Orders:	Inc	reased Density Orders: 629971	
Pending CD Numbers: 201407354				ecial Orders:	
			°P		
Total Depth: 12193 Ground Elevation: 114	44 Surface (Casing: 1500	Depth to	b base of Treatable Water-Bearing FM: 420	
Under Federal Jurisdiction: No	Fresh Water	Supply Well Drilled: No		Surface Water used to Drill: Yes	
PIT 1 INFORMATION		Approved Meth	od for disposal of Drilling	g Fluids:	
Type of Pit System: CLOSED Closed System Means S	teel Pits				
Type of Mud System: WATER BASED		D. One time la	and application (REQU	IRES PERMIT) PERMIT NO: 14-2	
Chlorides Max: 10000 Average: 5000		E. Haul to Cor	E. Haul to Commercial pit facility: Sec. 15 Twn. 24N Rng. 7W Cnty. 47 Order No: 623842		
Is depth to top of ground water greater than 10ft below bas			H. CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST		
Within 1 mile of municipal water well? N					
Wellhead Protection Area? N					
Pit is located in a Hydrologically Sensitive Area.					
Category of Pit: C					
Liner not required for Category: C Pit Location is BED AQUIFER					
Pit Location is BED AQUIFER Pit Location Formation: KINGMAN					
A Location I officiation. All OWAN					

HORIZONTAL HOLE 1

Sec 03 Rge 7W GARFIELD Twp 24N County Spot Location of End Point: N2 N2 NI\// NE 1/4 Section Line: Feet From: NORTH 150 Feet From: EAST 1/4 Section Line: 1980 Depth of Deviation: 5304 Radius of Turn: 890 Direction: 340 Total Length: 4926 Measured Total Depth: 11628 True Vertical Depth: 5881 End Point Location from Lease. Unit, or Property Line: 150 **HORIZONTAL HOLE 2** Sec 03 GARFIELD Twp 24N Rge 7W County Spot Location of End Point: N2 N2 NF NE Feet From: NORTH 1/4 Section Line: 150 Feet From: FAST 1/4 Section Line: 660 Depth of Deviation: 5304 Radius of Turn: 890 Direction: 355 Total Length: 4629 Measured Total Depth: 11331 True Vertical Depth: 5881 End Point Location from Lease, Unit, or Property Line: 150 HORIZONTAL HOLE 3 Sec 03 Twp 24N Rge 7W County GARFIELD Spot Location of End Point: N2 NE NW N2 Feet From: NORTH 1/4 Section Line: 150 Feet From: WEST 1/4 Section Line: 1980 Depth of Deviation: 5304 Radius of Turn: 890 Direction: 330 Total Length: 5491 Measured Total Depth: 12193 True Vertical Depth: 5881 End Point Location from Lease, Unit, or Property Line: 150

Notes: Category

DEEP SURFACE CASING

Description

11/10/2014 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR SURFACE CASING

Category	Description
INCREASED DENSITY - 629971	11/26/2014 - G75 - 3-24N-7W X613459 MSSP 3 WELLS SANDRIDGE EXPLOR. & PROD., L.L.C. 9-2-2014
PENDING CD - 201407354	11/26/2014 - G75 - (I.O.) 3-24N-7W X613459 MSSP COMPL. INT. (LAT 1) NCT 150 FSL, NCT 150 FNL, NCT 1880 FEL COMPL. INT. (LAT 2) NCT 150 FSL, NCT 150 FNL, NCT 560 FEL COMPL. INT. (LAT 3) NCT 150 FSL, NCT 150 FNL, NCT 1880 FWL NO OP. NAMED REC 10-27-2014 (STUCK)
SPACING - 613459	11/26/2014 - G75 - (640)(HOR) 3-24N-7W EST MSSP, OTHER POE TO BHL NLT 660' FB (SUPERSEDE SP. ORDER # 79059 MSSLM)