API NUMBER: 121 24724

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 12/17/2014

Expiration Date: 06/17/2015

PERMIT TO DRILL

WELL LOCATION: Sec: 22 Twp: 7N Rge: 17E County: PITTSBURG

SPOT LOCATION: SW SE SW FEET FROM QUARTER: FROM SOUTH FROM WEST SECTION LINES: 215 1570

Lease Name: SHANNON Well No: 1-27H Well will be 215 feet from nearest unit or lease boundary.

Operator PETROQUEST ENERGY LLC Telephone: 3372327028; 9185615 OTC/OCC Number: 21466 0

PETROQUEST ENERGY LLC

400 E KALISTE SALOOM RD STE 6000

LAFAYETTE, LA 70508-8523

KOLBY ETCHISON P.O. BOX 490

QUINTON OK 74561

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN 1 7970 6 2 WOODFORD 8490 7 3 VIOLA 8620 8 9 10 569207 Spacing Orders: Location Exception Orders: 201407327 Increased Density Orders:

Pending CD Numbers: Special Orders:

Total Depth: 13680 Ground Elevation: 660 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 40

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

PIT 1 INFORMATION

Type of Pit System: ON SITE
Type of Mud System: AIR

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: 4

Liner not required for Category: 4

Pit Location is BED AQUIFER

Pit Location Formation: SAVANNA

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

Approved Method for disposal of Drilling Fluids:

A. Evaporation/dewater and backfilling of reserve pit.

B. Solidification of pit contents.

E. Haul to Commercial pit facility: Sec. 19 Twn. 8N Rng. 5E Cnty. 125 Order No: 274874

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation: SAVANNA

PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation: SAVANNA

HORIZONTAL HOLE 1

Sec 27 Twp 7N Rge 17E County **PITTSBURG**

Spot Location of End Point: SW SE SW

Feet From: SOUTH 1/4 Section Line: Feet From: WEST 1/4 Section Line: 880

Depth of Deviation: 7661 Radius of Turn: 575

Direction: 185

Total Length: 5115

Measured Total Depth: 13680 True Vertical Depth: 8620 End Point Location from Lease, Unit, or Property Line: 1

Notes:

Category Description

12/16/2014 - G71 - APPROVED CONTINGENT ON NOTIFYING OCC FIELD STAFF IMMEDIATELY **DEEP SURFACE CASING**

OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY

CONDUCTOR OR SURFACE CASING

LOCATION EXCEPTION - 201407327 12/16/2014 - G91 - (I.O.) 27-7N-17E

X569207 MSSP, WDFD, VIOL

XOTHER

SHL NCT 200 FSL, NCT 1500 FWL 22-7N-17E

COMPL. INT. NCT 165 FNL, NCT 165 FSL, NCT 330 FWL

NO OP. NAMED

REC. 10-27-2014 (JOHNSON)

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

121 24724 SHANNON 1-27H

Description Category

12/16/2014 - G71 - PITS 2 & 3 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 3 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT MEMO

SPACING - 569207 12/16/2014 - G91 - (640) 27-7N-17E

VAC OTHERS

EXT 552601 WDFD, OTHERS

EST MSSP, VIOL