API NUMBER: 047 24988

Oil & Gas

Horizontal Hole

## OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 01/07/2015

Expiration Date: 07/07/2015

PERMIT TO DRILL

WELL LOCATION: Sec: 03 Twp: 24N Rge: 7W County: GARFIELD

SPOT LOCATION: SE SW SE SE FEET FROM QUARTER: FROM SOUTH FROM EAST SECTION LINES: 300 750

Lease Name: HAYES 2407 Well No: 2-10H Well will be 300 feet from nearest unit or lease boundary.

Operator SANDRIDGE EXPLORATION & PRODUCTION LLC Telephone: 4054296169 OTC/OCC Number: 22281 0

SANDRIDGE EXPLORATION & PRODUCTION LLC 123 ROBERT S KERR AVE STE 1702

OKLAHOMA CITY, OK 73102-6406

RAMON A. HAYES & SANDRA HAYES 2826 SCISSORTAIL LN.

ENID OK 73703

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN 5785 1 6 2 7 8 3 4 9 10 612526 Spacing Orders: Location Exception Orders: 633431 Increased Density Orders: 633430

Pending CD Numbers: Special Orders:

Total Depth: 12553 Ground Elevation: 1147 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 430

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 14-29240

Chlorides Max: 10000 Average: 5000 E. Haul to Commercial pit facility: Sec. 15 Twn. 24N Rng. 7W Cnty. 47 Order No: 623842

Is depth to top of ground water greater than 10ft below base of pit? Y H. CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: KINGMAN

## **HORIZONTAL HOLE 1**

Sec 10 Twp 24N Rge 7W County GARFIELD

Spot Location of End Point: S2 S2 SW SE
Feet From: SOUTH 1/4 Section Line: 150
Feet From: EAST 1/4 Section Line: 1980

Depth of Deviation: 5421
Radius of Turn: 890
Direction: 190
Total Length: 5306

Measured Total Depth: 12125

True Vertical Depth: 5998

End Point Location from Lease,
Unit, or Property Line: 150

## **HORIZONTAL HOLE 2**

Sec 10 Twp 24N Rge 7W County GARFIELD

Spot Location of End Point: S2 S2 SE SE
Feet From: SOUTH 1/4 Section Line: 150
Feet From: EAST 1/4 Section Line: 660

Depth of Deviation: 5420 Radius of Turn: 890 Direction: 178

Total Length: 5177

Measured Total Depth: 11995
True Vertical Depth: 5997
End Point Location from Lease,
Unit, or Property Line: 150

## HORIZONTAL HOLE 3

Sec 10 Twp 24N Rge 7W County GARFIELD

Spot Location of End Point: S2 S2 SE SW
Feet From: SOUTH 1/4 Section Line: 150
Feet From: WEST 1/4 Section Line: 1980

Depth of Deviation: 5435
Radius of Turn: 890
Direction: 210
Total Length: 5720

Measured Total Depth: 12553

True Vertical Depth: 6012

End Point Location from Lease,
Unit, or Property Line: 150

Notes:

Category Description

DEEP SURFACE CASING 12/12/2014 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

Category Description

INCREASED DENSITY - 633430 1/7/2015 - G75 - 10-24N-7W

X612526 MSSP

1 WELL

SANDRIDGE EXPLOR. & PROD., L.L.C.

11-24-2014

LOCATION EXCEPTION - 633431 1/7/2015 - G75 - (I.O.) 10-24N-7W

X612526 MSSP

COMPL. INT. (LAT 1) NCT 150 FNL, NCT 150 FSL, NCT 1880 FEL COMPL. INT. (LAT 2) NCT 150 FNL, NCT 150 FSL, NCT 560 FEL COMPL. INT. (LAT 3) NCT 150 FNL, NCT 150 FSL, NCT 1880 FWL

SANDRIDGE EXPLOR. & PROD., L.L.C.

11-24-2014

SPACING - 612526 1/7/2015 - G75 - (640)(HOR) 10-24N-7W

**EST MSSP** 

POE TO BHL NLT 660' FB

(SUPERSEDE SP. ORDER # 539035, MSSLM; COEXIST WITH PRODUCING NON-HORIZONTAL

SPACING UNITS)