

OKLAHOMA CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
P.O. BOX 52000  
OKLAHOMA CITY, OK 73152-2000  
(Rule 165:10-3-1)

API NUMBER: 047 25028

Approval Date: 04/02/2015

Expiration Date: 10/02/2015

Horizontal Hole Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Sec: 10 Twp: 23N Rge: 5W

County: GARFIELD

SPOT LOCATION:

FEET FROM QUARTER: FROM NORTH FROM EAST

SECTION LINES: 195 265

Lease Name: HERBERT

Well No: 3-3WH

Well will be 195 feet from nearest unit or lease boundary.

Operator Name: SK PLYMOUTH LLC

Telephone: 9185991800

OTC/OCC Number: 23485 0

SK PLYMOUTH LLC  
6100 S YALE AVE STE 500  
TULSA, OK 74136-1923

JOHN & RHONDA LAMLE  
426 CALIFORNIA STREET  
ENID OK 73701

Formation(s) (Permit Valid for Listed Formations Only):

Name	Depth	Name	Depth
1 WOODFORD	6260	6	
2		7	
3		8	
4		9	
5		10	

Spacing Orders: 589847

Location Exception Orders:

Increased Density Orders:

Pending CD Numbers:

Special Orders:

Total Depth: 10750

Ground Elevation: 1087

**Surface Casing: 460**

Depth to base of Treatable Water-Bearing FM: 410

Under Federal Jurisdiction: No

Fresh Water Supply Well Drilled: No

Surface Water used to Drill: Yes

PIT 1 INFORMATION

Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 50000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is BED AQUIFER

Pit Location Formation: GARBER

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 15-29829

H. CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

# HORIZONTAL HOLE 1

Sec 03 Twp 23N Rge 5W County GARFIELD

Spot Location of End Point: W2 NE NE NE

Feet From: NORTH 1/4 Section Line: 330

Feet From: EAST 1/4 Section Line: 500

Depth of Deviation: 5644

Radius of Turn: 636

Direction: 355

Total Length: 4107

Measured Total Depth: 10750

True Vertical Depth: 6280

End Point Location from Lease,  
Unit, or Property Line: 330

## Notes:

### Category

### Description

POINT OF ENTRY

4/2/2015 - G76 - GREATER THAN 330' FB FOR WOODFORD PER OPERATOR

SPACING - 589847

4/2/2015 - G76 - (640)(HOR) 3-23N-5W  
EST WDFD, OTHER  
VAC OTHERS  
POE TO BHL NCT 330 FB

WATERSHED STRUCTURE

4/1/2015 - G71 - WELL WITHIN 1/2 MILE OF AN OKLAHOMA CONSERVATION COMMISSION  
WATERSHED STRUCTURE. CONTACT THE LOCAL CONSERVATION DISTRICT OFFICE AT (580)  
237-7880 PRIOR TO DRILLING

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District  
Office of the Conservation Division as to when Surface Casing will be run.

047 25028 HERBERT 3-3WH

API-047-25028

NE NE NE NE

T23N, R5W, I.M.

Rebar With Yellow  
Plastic Cap, #1522,  
0.1' Below Road Intersection  
(SP NAD 27)  
N: 543217.75  
E: 2079718.35

Rebar,  
0.6' Below Road Intersection  
(SP NAD 27)  
N: 543218.01  
E: 2084985.03

Rebar With Cap,  
#1522, 0.7' Below  
E-W Road  
(SP NAD 27)  
N: 543217.92  
E: 2082351.73

**HERBERT  
#3-3WH**  
Elev. Ungraded  
Ground = 1087.1'

Nail Over Rebar,  
0.1' Below, N-S Road  
(SP NAD 27)  
N: 540605.48  
E: 2079698.58

Rebar With Cap, #864,  
0.1' Below N-S Road  
(SP NAD 27)  
N: 540591.42  
E: 2084978.60

Railroad Spike,  
0.1' Below,  
Road Intersection  
(SP NAD 27)  
N: 537958.85  
E: 2079700.80


Rebar, 0.1' Below  
E-W Road  
(SP NAD 27)  
N: 537951.38  
E: 2082344.80

Rebar, 0.4' Below  
Road Intersection  
(SP NAD 27)  
N: 537955.58  
E: 2084974.08

<b>NAD 83 (SURFACE LOCATION)</b>	
LATITUDE = 36°29'29.23" (36.491453)	
LONGITUDE = 97°42'43.67" (97.712131)	
<b>NAD 27 (SURFACE LOCATION)</b>	
LATITUDE = 36°29'29.12" (36.491422)	
LONGITUDE = 97°42'42.48" (97.711800)	
<b>STATE PLANE NAD 83 (NORTH)</b>	
N: 543048.44 E: 2053120.12	
<b>STATE PLANE NAD 27 (NORTH)</b>	
N: 543022.93 E: 2084719.61	

**LEGEND:**

- = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS



**CERTIFICATE**  
THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD  
NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION  
AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY  
KNOWLEDGE AND BELIEF

REGISTERED LAND SURVEYOR  
REGISTRATION NO. 1822  
STATE OF OKLAHOMA  
02-10-15

**BASIS OF BEARINGS**

BASIS OF BEARINGS IS A G.P.S. OBSERVATION

**BASIS OF ELEVATION**

BENCH MARK (F184) LOCATED NEAR THE SOUTH LINE OF THE SW 1/4 OF SECTION 12, T22N, R6W, I.M., TAKEN FROM THE ENID EAST QUADRANGLE, OKLAHOMA, GARFIELD COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 1154.36 FEET.

**SK PLYMOUTH, LLC**

**HERBERT #3-3WH**  
NE 1/4 NE 1/4, SECTION 10, T23N, R5W, I.M.  
GARFIELD COUNTY, OKLAHOMA

SURVEYED BY: J.P., C.B.	SURVEY DATE: 02-03-15
DRAWN BY: C.D.	DATE DRAWN: 02-04-15
SCALE: 1" = 1000'	REVISED: 00-00-00

**WELL LOCATION PLAT**

**UELS, LLC**  
Corporate Office \* 85 South 200 East  
Vernal, UT 84078 \* (435) 789-1017

