

Oklahoma Corporation Commission  
 Oil & Gas Conservation Division  
 Post Office Box 52000  
 Oklahoma City, Oklahoma 73152-2000  
 Rule 165: 10-3-25

Form 1002A

API No.: 35129240230001

**Completion Report**

Spud Date: November 23, 2014

OTC Prod. Unit No.: 129-215445

Drilling Finished Date: December 29, 2014

**Amended**

1st Prod Date: February 15, 2015

Amend Reason: OCC CORRECTION FOR SURFACE LOCATION

Completion Date: February 15, 2015

**Drill Type: HORIZONTAL HOLE**

Min Gas Allowable: Yes

Well Name: SCOTT 15-14-23 1H

Purchaser/Measurer: MARKWEST OKLA GAS CO LLC

Location: ROGER MILLS 15 14N 23W  
 SW SW SW SW  
 270 FSL 320 FWL of 1/4 SEC  
 Latitude: 35.68301 Longitude: -99.63984  
 Derrick Elevation: 0 Ground Elevation: 1971

First Sales Date: 2/16/2015

Operator: APACHE CORPORATION 6778

6120 S YALE AVE STE 1500  
 TULSA, OK 74136-4224

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
636319	

Increased Density	
Order No	
There are no Increased Density records to display.	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	9 5/8	40	J-55	616		394	SURFACE
INTERMEDIATE	7	26	HCP-110	8568		632	5300
PRODUCTION	4 1/2	11.6	HCP-110	13306		528	6800

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

**Total Depth: 13384**

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Mar 07, 2015	TONKAWA	541	45.2	457	844.732	330	GAS LIFT	2080	52/64	260

Completion and Test Data by Producing Formation										
Formation Name: TONKAWA			Code: 406TNKW			Class: OIL				
<b>Spacing Orders</b>				<b>Perforated Intervals</b>						
<b>Order No</b>		<b>Unit Size</b>		<b>From</b>			<b>To</b>			
138918		640		9118			13121			
<b>Acid Volumes</b>				<b>Fracture Treatments</b>						
There are no Acid Volume records to display.				1,172,180# TOTAL PROP, 19,918 BBLS FRAC FLUID						

Formation	Top
DOUGLAS H	8341
HASKELL	8686
TONKAWA	8825

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks
PACKERLESS GAS LIFT SETUP
OCC - FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED THE DATA AS SUBMITTED BY OPERATOR.
SHL FOOTAGES PER SURVEY PLAT SUBMITTED W/ ORIGINAL 1002A; CONFIRMED BY OPERATOR SPV 4-2-2015

**Lateral Holes**

Sec: 15 TWP: 14N RGE: 23W County: ROGER MILLS

SW NE NW NW

384 FNL 887 FWL of 1/4 SEC

Depth of Deviation: 8207 Radius of Turn: 573 Direction: 356 Total Length: 4683

Measured Total Depth: 13384 True Vertical Depth: 8703 End Pt. Location From Release, Unit or Property Line: 384

**FOR COMMISSION USE ONLY**

1128211

Status: Accepted