API NUMBER: 121 24745

Oil & Gas

Horizontal Hole

## OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 04/16/2015
Expiration Date: 10/16/2015

PERMIT TO DRILL

WELL LOCATION:	Sec: 18	Twp: 7N	Rge: 17E	County: PI	TTSBURG		
SPOT LOCATION:	SW NE	SW	SE	FEET FROM QUARTER: FROM SECTION LINES:	SOUTH	FROM	EAST
					850		1865
Lease Name: JA	ACKIE			Well No	: 3-18H		

Well will be 850 feet from nearest unit or lease boundary.

Operator PETROQUEST ENERGY LLC Telephone: 3372327028; 9185615 OTC/OCC Number: 21466 0

PETROQUEST ENERGY LLC 400 E KALISTE SALOOM RD STE 6000

LAFAYETTE, LA 70508-8523

A.J. BRISTOE & ALIENE BRISTOW 145 BRISTOW AVE SUITE 201

TULSA OK 74119

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depti	h
1	WOODFORD	8180	6		
2			7		
3			8		
4			9		
5			10		
Spacing Orders:	572263	Location Exception Orders: 63	38403	Increased Density Orders:	638290

Pending CD Numbers: Special Orders:

Total Depth: 13860 Ground Elevation: 680 Surface Casing: 500 Depth to base of Treatable Water-Bearing FM: 180

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

PIT 1 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: AIR

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: 4

Liner not required for Category: 4
Pit Location is NON HSA
Pit Location Formation: BOGGY

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

Approved Method for disposal of Drilling Fluids:

A. Evaporation/dewater and backfilling of reserve pit.

B. Solidification of pit contents.

E. Haul to Commercial pit facility: Sec. 19 Twn. 8N Rng. 5E Cnty. 125 Order No: 274874

H. SEE MEMO

## PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA
Pit Location Formation: BOGGY

## PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: BOGGY

## **HORIZONTAL HOLE 1**

Sec 18 Twp 7N Rge 17E County PITTSBURG

Spot Location of End Point: S2 S2 S2 S2

Feet From: SOUTH 1/4 Section Line: 1
Feet From: EAST 1/4 Section Line: 2640

Depth of Deviation: 7680 Radius of Turn: 650 Direction: 208

Total Length: 800

Measured Total Depth: 13860

True Vertical Depth: 8180
End Point Location from Lease,

Unit, or Property Line: 1

Notes:

Category Description

DEEP SURFACE CASING 4/16/2015 - G71 - APPROVED CONTINGENT ON NOTIFYING OCC FIELD STAFF IMMEDIATELY

OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY

CONDUCTOR OR SURFACE CASING

INCREASED DENSITY - 638290 4/16/2015 - G91 - 18-7N-17E

X572263 WDFD

1 WELL

PETROQUEST ENERGY, L.L.C.

3-26-2015

Category Description

**LOCATION EXCEPTION - 638403** 4/16/2015 - G91 - 18-7N-17E

X572263 WDFD, OTHERS

SHL NCT 500 FSL, NCT 1600 FEL

COMPL. INT. 165 FSL, 165 FNL, 2000 FWL

PETROQUEST ENERGY, L.L.C.

3-30-2015

4/16/2015 - G71 - PITS 2 & 3 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 3 -MEMO

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

4/16/2015 - G91 - (640) 18-7N-17E VAC OTHERS **SPACING - 572263** 

**EXT OTHERS** 

EXT 553746 WDFD, OTHER

**EST OTHERS**