API NUMBER: 121 24746

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 04/16/2015 10/16/2015 Expiration Date:

PERMIT TO DRILL

WELL LOCATION:	Sec:	17	Twp:	7N	Rge: 17E	County:	PITTSBURG
----------------	------	----	------	----	----------	---------	-----------

SPOT LOCATION: SW FEET FROM QUARTER: FROM sw lsw SOUTH WEST II SE SECTION LINES: 310 1330

Lease Name: KREBBS Well No: 2-17H Well will be 310 feet from nearest unit or lease boundary.

PETROQUEST ENERGY LLC Operator OTC/OCC Number: Telephone: 3372327028; 9185615 21466 0 Name:

PETROQUEST ENERGY LLC 400 E KALISTE SALOOM RD STE 6000

LAFAYETTE. LA 70508-8523 JIMMY AND EALENE DAVENPORT 16007 F STATE HWY 31

QUINTON OK 74561

(Permit Valid for Listed Formations Only): Formation(s)

	Name	Depth	Name	Dept	h
1	WOODFORD	8100	6		
2			7		
3			8		
4			9		
5			10		
Spacing Orders:	584504	Location Exception Orders:	637561	Increased Density Orders:	637614

Pending CD Numbers: Special Orders:

Total Depth: 13857 Ground Elevation: 677 Surface Casing: 500 Depth to base of Treatable Water-Bearing FM: 160

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

PIT 1 INFORMATION Type of Pit System: ON SITE

Type of Mud System: AIR

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Is depth to top of ground water greater than 10ft below base of pit? Y

Category of Pit: 4

Liner not required for Category: 4 Pit Location is NON HSA

Pit Location Formation: BOGGY

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

B. Solidification of pit contents.

Approved Method for disposal of Drilling Fluids:

A. Evaporation/dewater and backfilling of reserve pit.

E. Haul to Commercial pit facility: Sec. 19 Twn. 8N Rng. 5E Cnty. 125 Order No: 274874

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA
Pit Location Formation: BOGGY

PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: BOGGY

HORIZONTAL HOLE 1

Sec 17 Twp 7N Rge 17E County PITTSBURG

Spot Location of End Point: NE NE NE NW

Feet From: NORTH 1/4 Section Line: 1
Feet From: WEST 1/4 Section Line: 2590

Depth of Deviation: 7923 Radius of Turn: 607

Direction: 8

Total Length: 4980

Measured Total Depth: 13857
True Vertical Depth: 8530

End Point Location from Lease, Unit, or Property Line: 1

Notes:

Category Description

DEEP SURFACE CASING 4/16/2015 - G71 - APPROVED CONTINGENT ON NOTIFYING OCC FIELD STAFF IMMEDIATELY

OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY

CONDUCTOR OR SURFACE CASING

INCREASED DENSITY - 637614 4/16/2015 - G91 - 17-7N-17E

X584504 WDFD

2 WELLS

PETROQUEST ENERGY, LLC.

3-10-2015

Category Description

LOCATION EXCEPTION - 637561 4/16/2015 - G91 - (I.O.) 17-7N-17E

X584504 WDFD, OTHÉRS SHL NCT 225 FSL, NCT 1400 FEL

COMPL. INT. NCT 165 FNL, NCT 165 FSL, NCT 2000 FEL

PETROQUEST ENERGY, LLC.

3-9-2015

4/16/2015 - G71 - PITS 2 & 3 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 3 -MEMO

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

4/16/2015 - G91 - (640) 17-7N-17E VAC OTHERS **SPACING - 584504**

EXT 580673 WDFD, OTHERS