PI NUMBER: 121 24749 rizontal Hole Oil & Gas	OIL & GAS	CORPORATION CO CONSERVATION D P.O. BOX 52000 MA CITY, OK 73152 Rule 165:10-3-1)	IVISION	Approval Date: 04/16/2015 Expiration Date: 10/16/2015
	P	ERMIT TO DRILL		
WELL LOCATION: Sec: 17 Twp: 7N R	ge: 17E County: PITTSB	URG		
SPOT LOCATION: SE SE SW S	SW FEET FROM QUARTER: FROM S	OUTH FROM WEST		
	SECTION LINES: 3'	10 1315		
Lease Name: TONYA	Well No: 2	-20H	Well will	be 310 feet from nearest unit or lease boundar
Operator PETROQUEST ENERGY LL Name:	c	Telephone: 337232702	28; 9185615	OTC/OCC Number: 21466 0
PETROQUEST ENERGY LLC		JII	MMY & EARLEN	E DAVENPORT
400 E KALISTE SALOOM RD STE	16	007 E ST HWY 3	/Y 31	
LAFAYETTE, L	A 70508-8523	Q	UINTON	OK 74561
1 WOODFORD 2 3 4 5	8100	6 7 8 9 10		
Spacing Orders: 584581	Location Exception Or	ders: 638577		Increased Density Orders: 637615
Pending CD Numbers:				Special Orders:
Total Depth: 13853 Ground Elevat	tion: 677 Surface Ca	asing: 500	De	pth to base of Treatable Water-Bearing FM: 160
Under Federal Jurisdiction: No	Fresh Water S	upply Well Drilled: No		Surface Water used to Drill: No
PIT 1 INFORMATION		Approved M	lethod for disposal of D	rilling Fluids:
Type of Pit System: ON SITE		A. Evaporation/dewater and backfilling of reserve pit.		
Type of Mud System: AIR		B. Solidific	ation of pit contents.	
Is depth to top of ground water greater than 10ft b Within 1 mile of municipal water well? N	elow base of pit? Y	E. Haul to H. SEE MI		Sec. 19 Twn. 8N Rng. 5E Cnty. 125 Order No: 274874
Wellhead Protection Area? N				
Pit is not located in a Hydrologically Sensitive	Area.			
Category of Pit: 4 Liner not required for Category: 4				
Pit Location is NON HSA				
Pit Location is NON HSA Pit Location Formation: BOGGY				

PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C

Pit Location is NON HSA Pit Location Formation: BOGGY

PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C Pit Location is NON HSA Pit Location Formation: BOGGY

## HORIZONTAL HOLE 1

Sec 20 Twp 7N Rge 17E County PITTSBURG SW Spot Location of End Point: SW SW SE Feet From: SOUTH 1/4 Section Line: 1 Feet From: EAST 1/4 Section Line: 2590 Depth of Deviation: 7603 Radius of Turn: 497 Direction: 160 Total Length: 5469 Measured Total Depth: 13853 True Vertical Depth: 8100 End Point Location from Lease, Unit, or Property Line: 1 Notes: Category Description 4/16/2015 - G71 - APPROVED CONTINGENT ON NOTIFYING OCC FIELD STAFF IMMEDIATELY DEEP SURFACE CASING OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING

INCREASED DENSITY - 637615

4/16/2015 - G76 - 20-7N-17E X584581 WDFD 2 WELLS PETROQUEST ENERGY, L.L.C. 3/10/2015

121 24749 TONYA 2-20H

Category	Description
LOCATION EXCEPTION - 638577	4/16/2015 - G76 - (I.O.) 20-7N-17E X584581 WDFD, OTHERS SHL NCT 225 FSL, NCT 1400 FEL 17-7N-17E 1ST PERF NCT 165 FNL, NCT 2000 FEL LAST PERF NCT 165 FSL, NCT 2000 FEL PETROQUEST ENERGY, L.L.C. 4/3/2015
МЕМО	4/16/2015 - G71 - PITS 2 & 3 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 3 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 584581	4/16/2015 - G76 - (640) 20-7N-17E VAC OTHER EXT 576651 WDFD, OTHERS EXT OTHER

