API NUMBER: 103 24690

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 10/23/2014
Expiration Date: 10/23/2015

PERMIT TO DRILL

WEST

WELL LOCATION:	Sec:	28	Twp:	21N	Rge:	1W	County:	NO	BLE	
SPOT LOCATION:	N2	N2		1E	NW		FEET FROM QUARTER:	FROM	NORTH	FRO

SECTION LINES: 250 1980

Lease Name: FRANKIE VANN Well No: 21-1-28 1H Well will be 250 feet from nearest unit or lease boundary.

 Operator
 DORADO E & P PARTNERS LLC
 Telephone:
 7204023700; 7204023
 OTC/OCC Number:
 23019
 0

DORADO E & P PARTNERS LLC 1401 17TH ST STE 1100

DENVER, CO 80202-1253

VANN MEADOW LANDS, LLC 8414 EDGEMOOR

HOUSTON TX 77036

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MISSISSIPPIAN	4850	6	
2			7	
3			8	
4			9	
5			10	
Spacing Orders:	No Spacing	Location Exception Orders:		Increased Density Orders:

Pending CD Numbers: 201405043 Special Orders:

201405042

Total Depth: 10361 Ground Elevation: 1088 Surface Casing: 1000 Depth to base of Treatable Water-Bearing FM: 430

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 14-28613
Chlorides Max: 5000 Average: 3000 H. CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit **is** located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: WELLINGTON

HORIZONTAL HOLE 1

Sec 28 Twp 21N County **NOBLE** Rge 1W Spot Location of End Point: S2 S2 S2 SW Feet From: SOUTH 1/4 Section Line: 195 Feet From: WEST 1/4 Section Line: 1320

Depth of Deviation: 4335
Radius of Turn: 635
Direction: 336
Total Length: 4843

Measured Total Depth: 10361

True Vertical Depth: 4903

End Point Location from Lease,
Unit, or Property Line: 195

Notes:

Category Description

DEEP SURFACE CASING 10/15/2014 - G76 - APPROVED CONTINGENT ON NOTIFYING OCC FIELD STAFF IMMEDIATELY

OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY

CONDUCTOR OR SURFACE CASING

PENDING - 201405042 10/23/2014 - G72 - (640 HORZ) 28-21N-01W

VAC 216782 MSSLM, OTHER, VAC 177408 MISS, OTHER, EST MSSP, OTHERS, REC 9/17/2014 (M PORTER)

PENDING CD - 2101405043 10/23/2014 - G72 - 28-21N-01W (I.O.)

X 201405042 MSSP, OTHERS

COMP INT. NCT 195 FNL NCT 195 FSL NCT 660 FWL,

NO OPER NAMED,

REC 9/17/2014 (M PORTER)



Permitex. 412512015 Surety ex. 5/6/2015 Operatur# 23019

April 13, 2015

Oklahoma Corporation Commission
Oil and Gas Conservation Division
2101 N. Lincoln Blvd.
Oklahoma City, OK 73105

RE: Approved Permit to Drill Extension
Dorado E&P Partners, LLC

Frankie Vann 21-1-28 1H NENW, Section 28, T21N – R1W 250' FNL, 1980' FWL Noble County, OK

API: 103 - 24690

Dorado E&P Partners, LLC respectfully request a six month extension on the subject wells approved Permit to Drill. The permit is due to expire on April 23, 2015.

Regards

Joe Mazotti

Agent for Dorado E&P

720-226-5791

Approved for 6 Month Extension From

4-17-15

RECEIVED

APR 1 6 2015

OKLAHOMA CORPORATION COMMISSION