

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35073252140000

Completion Report

Spud Date: February 10, 2016

OTC Prod. Unit No.: 073-217347

Drilling Finished Date: February 29, 2016

1st Prod Date: April 08, 2016

Completion Date: March 26, 2016

Drill Type: HORIZONTAL HOLE

Well Name: CROSSWHITE 1805 3-20MH

Purchaser/Measurer:

Location: KINGFISHER 20 18N 5W
SW SW SW SE
227 FSL 2458 FEL of 1/4 SEC
Latitude: 36.01519 Longitude: 97.75505
Derrick Elevation: 0 Ground Elevation: 1143

First Sales Date:

Operator: OKLAHOMA ENERGY ACQUISITIONS LP 23509

15021 KATY FWY STE 400
HOUSTON, TX 77094-1900

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
	645098
	652280

Increased Density	
Order No	
There are no Increased Density records to display.	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	16		X-42	123		27	SURFACE
SURFACE	9 5/8	36	J-55	460		300	SURFACE
INTERMEDIATE	7	26	P-110	7263		280	4857

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2"	11.6	P-110	4943	0	0	7124	12067

Total Depth: 12072

Packer	
Depth	Brand & Type
7106	ASIII

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
May 07, 2016	MISSISSIPPIAN(EX CHESTER)	83	39	89	1072	600	GAS LIFT		OPEN	140

Completion and Test Data by Producing Formation									
Formation Name: MISSISSIPPIAN(EX CHESTER)				Code: 359MSNLC			Class: OIL		
Spacing Orders				Perforated Intervals					
Order No		Unit Size		From			To		
641550		640		7263			12004		
Acid Volumes				Fracture Treatments					
4850 BBLS HCL				265,233 BBLS SW; 3,277,400 LBS SAND					

Formation	Top
COTTAGE GROVE	5509
HOGSHOOTER	5797
CHECKERBOARD	5875
CLEVELAND	5929
BIG LIME	6091
OSWEGO (4TH)	6225
VERDIGRIS	6317
SKINNER	6375
PINK LIME	6417
RED FORK	6453
INOLA	6496
MRMC	6604
MLU-4	6621
MLM	6860

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks
THIS WELL IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" CASING AT 7263' TO TERMINUS AT 12,072'. THE 4 1/2" LINER IS NOT CEMENTED. IRREGULAR SECTION.

Lateral Holes
Sec: 20 TWP: 18N RGE: 5W County: KINGFISHER NE NW NE NW 274 FNL 1821 FWL of 1/4 SEC Depth of Deviation: 6621 Radius of Turn: 453 Direction: 357 Total Length: 4644 Measured Total Depth: 12072 True Vertical Depth: 7099 End Pt. Location From Release, Unit or Property Line: 274

FOR COMMISSION USE ONLY
Status: Accepted