

Oklahoma Corporation Commission
 Oil & Gas Conservation Division
 Post Office Box 52000
 Oklahoma City, Oklahoma 73152-2000
 Rule 165: 10-3-25

Form 1002A

API No.: 35073252250000

Completion Report

Spud Date: January 08, 2016

OTC Prod. Unit No.: 073-217245-0-0000

Drilling Finished Date: February 07, 2016

1st Prod Date: March 01, 2016

Completion Date: February 29, 2016

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: ALIG 1H-35

Purchaser/Measurer: NEWFIELD

Location: KINGFISHER 35 15N 9W
 SW SW SW SW
 220 FSL 240 FWL of 1/4 SEC
 Latitude: 35.72591 Longitude: -98.13543
 Derrick Elevation: 1278 Ground Elevation: 1250

First Sales Date: 03/01/2016

Operator: NEWFIELD EXPLORATION MID-CON INC 20944

1 WILLIAMS CTR STE 1900
 TULSA, OK 74172-0162

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
648408

Increased Density
Order No
There are no Increased Density records to display.

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	54.5	J-55	646	500	430	SURFACE
INTERMEDIATE	9 5/8	40	P-110	8916	2115	1300	650
PRODUCTION	5 1/2	20	P-110	15147	3400	1680	7656
CONDUCTOR	20	94	K-55	88		15	SURFACE

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 15147

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Mar 07, 2016	MISSISSIPPIAN(EX CHESTER)	823	49	2249	2733	768	PUMPING		22	

Completion and Test Data by Producing Formation										
Formation Name: MISSISSIPPIAN(EX CHESTER)			Code: 359MSNLC			Class: OIL				
Spacing Orders				Perforated Intervals						
Order No		Unit Size		From			To			
647811		640		10285			15008			
Acid Volumes				Fracture Treatments						
11,146 GALS ACID				11,275 GALS GEL						
				82,233 BBLS WATER						
				7,178,380 LBS 40/70						

Formation	Top
MISSISSIPPIAN	9917
MANNING	9541
CHESTER	9085

Were open hole logs run? No
Date last log run:
Were unusual drilling circumstances encountered? No
Explanation:

Other Remarks
OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED. IRREGULAR SECTION.

Lateral Holes

Sec: 35 TWP: 15N RGE: 9W County: KINGFISHER

NE NW NW NW

50 FNL 457 FWL of 1/4 SEC

Depth of Deviation: 9741 Radius of Turn: 303 Direction: 2 Total Length: 4723

Measured Total Depth: 15147 True Vertical Depth: 10016 End Pt. Location From Release, Unit or Property Line: 50

FOR COMMISSION USE ONLY

1132713

Status: Accepted



Well Location Plat

M & M Land Surveying, Inc.

520 "E" Street NW. Ardmore, OK, 73401
Office 580-226-0446 Mobile 580-221-4999 Fax 580-226-7158

Company Name: Newfield Exploration Mid-Continent, Inc. Lease Name: Alig #1H-35
 Section 35 Township 15 North Range 9 West County Kingfisher Oklahoma
 Surface Location 220' FSL - 240' FWL Elevation 1250' Good Location? Yes

Topography
Location fell in crop
stubble 390' West of
Cemetery.



Scale: 1" = 1000'
 Invoice #15436
 Date 11/05/15
 Elevations of Proposed Pad Corners
 NW/C - N/A
 NE/C - N/A
 SE/C - N/A
 SW/C - N/A

Coordinates were derived from GPS RTK methods and are only accurate within ±10 feet

Location GPS NAD 27
 Oklahoma North
 Surface Location
 Latitude: 35.72587°
 Longitude: 98.13509°
 Y= 264,249'
 X = 1,959,900'

Location NAD 83
 Surface Location
 Latitude: 35.72591°
 Longitude: 98.13543°
 Y= 264,273'
 X = 1,928,301'

Best Accessibility to Location
From the South

Distance & Direction From From Okarche Okla. go 9 miles West on County Line road to the Southwest Corner of Section 35.
 Highway or Town _____

CERTIFICATE:

I, D. Harry McClintick, a Registered Land Surveyor in the state of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown.

[Signature] 12/1/15
 D. Harry McClintick, R.P.L.S. # 1367, CA # 3093

This location has been staked according to the best official survey records available to us, but its accuracy is not guaranteed. Please review this plat and notify us immediately of any discrepancy.

The distances shown in parenthesis () are calculated distances based on the quarter section being 2640' and have not been measured.





Well Location Plat
M & M Land Surveying, Inc.

API 073-25225

520 "E" Street NW. Ardmore, OK. 73401
 Office 580-226-0446 Mobile 580-221-4999 Fax 580-226-7158

Company Name: Newfield Exploration Mid-Continent, Inc. Lease Name: Alig #1H-35
 Section 35 Township 15 North Range 9 West County Kingfisher Oklahoma

Surface Location 220' ESL - 240' FWL Elevation 1250' Good Location? Yes Topography
Location fell in crop
stubble 390' West of
Cemetery.



Scale: 1" = 1000'
 Invoice #15436
 Date 11/05/15
 Elevations of Proposed Pad Corners
 NW/C - N/A
 NE/C - N/A
 SE/C - N/A
 SW/C - N/A
 Coordinates were derived from GPS RTK methods and are only accurate within ±10 feet
 Location GPS NAD 27 Oklahoma North
 Surface Location
 Latitude: 35.72587°
 Longitude: 98.13509°
 Y= 264,249'
 X = 1,959,900'
 Location NAD 83
 Surface Location
 Latitude: 35.72591°
 Longitude: 98.13543°
 Y= 264,273'
 X = 1,928,301'

Best Accessibility to Location
From the South

Distance & Direction From From Okarche Okla. go 9 miles West on County Line road to the Southwest Corner of Section 35.
 Highway or Town _____

CERTIFICATE:

I, D. Harry McClintick, a Registered Land Surveyor in the state of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown.

[Signature] 12/1/15
 D. Harry McClintick, R.P.L.S. # 1367, CA # 3093

This location has been staked according to the best official survey records available to us, but its accuracy is not guaranteed. Please review this plat and notify us immediately of any discrepancy.

The distances shown in parenthesis () are calculated distances based on the quarter section being 2640' and have not been measured.

