

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

API NUMBER: 011 23616

Approval Date: 06/14/2016

Expiration Date: 12/14/2016

Horizontal Hole Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Sec: 18 Twp: 16N Rge: 10W

County: BLAINE

SPOT LOCATION: SE NE NW NE

FEET FROM QUARTER: FROM NORTH FROM EAST

SECTION LINES: 484 1599

Lease Name: BLURTON

Well No: 7-7-6XH

Well will be 484 feet from nearest unit or lease boundary.

Operator Name: CONTINENTAL RESOURCES INC

Telephone: 4052349020; 4052349

OTC/OCC Number: 3186 0

CONTINENTAL RESOURCES INC
PO BOX 269000
OKLAHOMA CITY, OK 73126-9000

RICHARD BERNHARDT, TRUSTEE
P.O. BOX 642
OKEENE OK 73763

Formation(s) (Permit Valid for Listed Formations Only):

| Name | Depth | Name | Depth |
|------|---------------|------|-------|
| 1 | MISSISSIPPIAN | 9995 | 6 |
| 2 | | | 7 |
| 3 | | | 8 |
| 4 | | | 9 |
| 5 | | | 10 |

Spacing Orders: 643204
623678

Location Exception Orders:

Increased Density Orders:

Pending CD Numbers: 201602182
201602175
201602184
201602169

Special Orders:

Total Depth: 20560

Ground Elevation: 1317

Surface Casing: 1500

Depth to base of Treatable Water-Bearing FM: 50

Under Federal Jurisdiction: No

Fresh Water Supply Well Drilled: No

Surface Water used to Drill: Yes

PIT 1 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: WATER BASED

Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: 2

Liner not required for Category: 2

Pit Location is NON HSA

Pit Location Formation: FLOWERPOT

Approved Method for disposal of Drilling Fluids:

A. Evaporation/dewater and backfilling of reserve pit.

H. SEE MEMO

G. Haul to recycling/re-use facility: Sec. 5 Twn. 16N Rng. 10W Cnty. 11 Order No: 652009

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: ON SITE
Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000
Is depth to top of ground water greater than 10ft below base of pit? Y
Within 1 mile of municipal water well? N
Wellhead Protection Area? N
Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: 3
Liner required for Category: 3
Pit Location is NON HSA
Pit Location Formation: FLOWERPOT

HORIZONTAL HOLE 1

Sec 06 Twp 16N Rge 10W County BLAINE
Spot Location of End Point: NE NW NE NE
Feet From: NORTH 1/4 Section Line: 50
Feet From: EAST 1/4 Section Line: 880
Depth of Deviation: 9568
Radius of Turn: 750
Direction: 5
Total Length: 9814
Measured Total Depth: 20560
True Vertical Depth: 9995
End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Table with 2 columns: Category, Description. Rows include DEEP SURFACE CASING, HYDRAULIC FRACTURING, INTERMEDIATE CASING, MEMO, and PENDING CD - 201602169.

This permit does not address the right of entry or settlement of surface damages.
The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

| Category | Description |
|------------------------|---|
| PENDING CD - 201602175 | 6/9/2016 - G75 - (E.O.) 6 & 7-16N-10W EST MULTIUNIT HORIZONTAL WELL XOTHERS X643204 MSSP 6-16N-10W X623678 MSSP, OTHER 7-16N-10W 50% 6-16N-10W 50% 7-16N-10W CONTINENTAL RESOURCES, INC. REC 6-13-2016 (DECKER) |
| PENDING CD - 201602182 | 6/9/2016 - G75 - (E.O.) XOTHERS X643204 MSSP 6-16N-10W X623678 MSSP, OTHER 7-16N-10W X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO AN EXISTING WELLBORE SHL (18-16N-10W) 200 FNL, 1650 FEL ** COMPL. INT. (7-16N-10W) NCT 150 FSL, NCT 0 FNL, NCT 330 FEL COMPL. INT. (6-16N-10W) NCT 0 FSL, NCT 150 FNL, NCT 330 FEL CONTINENTAL RESOURCES, INC. REC 6-13-2016 (DECKER) ** ITD HAS SHL AS 484 FNL, 1599 FEL 18-16N-10W; TO BE CORRECTED AT HEARING FOR FINAL ORDER LOCATION EXCEPTION PER OPERATOR |
| PENDING CD - 201602184 | 6/9/2016 - G75 - 7-16N-10W X623678 MSSP 8 WELLS CONTINENTAL RESOURCES, INC. HEARING 7-5-2016 |
| SPACING - 623678 | 6/9/2016 - G75 - (640) 7-16N-10W VAC OTHER VAC 167297 MCSTR, OTHERS VAC 325398 MSSLM EXT 597601 MSSP, OTHERS |
| SPACING - 643204 | 6/9/2016 - G75 - (640) 6-16N-10W VAC 167297 MCSTR, OTHERS VAC 305385 MSSLM VAC 582873 KDRK, OTHER EXT (VER) OTHER EXT (HOR) 639599 MSSP COMPL. INT. NCT 660' FB |

This permit does not address the right of entry or settlement of surface damages.
The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District
Office of the Conservation Division as to when Surface Casing will be run.



Well Location Plat


Operator : CONTINENTAL RESOURCES, INC.

API 011-23616

EXHIBIT "A"

S.H.L. Sec. 18-16N-10W I.M.
B.H.L. Sec. 6-16N-10W I.M.
BLAINE COUNTY

| LEASE NAME | SHL | NAT. GR. ELEV. | LATITUDE | LONGITUDE | EASTING | NORTHING | BHL | LATITUDE | LONGITUDE | EASTING | NORTHING | DESIGN ELEV. | | |
|---------------------|----------------------|----------------|---------------|---------------|---------|----------|-------------------|---------------|---------------|---------|----------|--------------|---------|--------|
| 1. BLURTON #5-7-6XH | 509' FNL - 1686' FWL | 1318' | 35°52'06.84"N | 98°18'04.77"W | 1910719 | 316303 | 50' FNL 2476' FWL | 35°53'54.69"N | 98°18'16.30"W | 1999706 | 327211 | 1320' | | |
| | | | 35°52'06.89"N | 98°18'36.01"W | 1910718 | 316327 | | 35°53'54.84"N | 98°18'17.64"W | | | | 1999706 | 327235 |
| | | | 35.86865632 | -98.30162439 | | | | 35.89852492 | -98.30455292 | | | | 1878196 | 327235 |
| 2. BLURTON #6-7-6XH | 496' FNL - 1642' FEL | 1316' | 35°52'06.96"N | 98°18'04.24"W | 1910762 | 316315 | 50' FNL 1320' FEL | 35°53'54.70"N | 98°18'00.42"W | 1911110 | 327208 | 1320' | | |
| | | | 35°52'07.11"N | 98°18'05.49"W | 1879162 | 316339 | | 35°53'54.85"N | 98°18'31.67"W | | | | 1879510 | 327232 |
| | | | 35.86860024 | -98.30117834 | | | | 35.89852701 | -98.30011713 | | | | 1879510 | 327232 |
| 3. BLURTON #7-7-6XH | 484' FNL - 1699' FEL | 1317' | 35°52'07.08"N | 98°18'03.72"W | 1910805 | 316327 | 50' FNL 880' FEL | 35°53'54.70"N | 98°17'55.07"W | 1911550 | 327207 | 1320' | | |
| | | | 35°52'07.23"N | 98°18'04.96"W | 1879205 | 316351 | | 35°53'54.85"N | 98°17'56.32"W | | | | 1879950 | 327230 |
| | | | 35.86863416 | -98.30103229 | | | | 35.89852787 | -98.29863166 | | | | 1879950 | 327230 |
| 4. BLURTON #8-7-6XH | 471' FNL - 1556' FEL | 1317' | 35°52'07.21"N | 98°18'03.19"W | 1910849 | 316340 | 50' FNL 330' FEL | 35°53'54.70"N | 98°17'48.35"W | 1912100 | 327205 | 1320' | | |
| | | | 35°52'07.38"N | 98°18'04.44"W | 1879248 | 316363 | | 35°53'54.85"N | 98°17'49.61"W | | | | 1880500 | 327229 |
| | | | 35.86866808 | -98.30088626 | | | | 35.89852847 | -98.29877450 | | | | 1880500 | 327229 |
| | | | 35.86870576 | -98.30123227 | | | | 35.89856565 | -98.29712061 | | | | | |




Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined. GPS data is observed from RTK - GPS. NOTE: X and Y data shown herein for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey.

Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners of occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true boundary survey.

survey and plat by,
Arkoma Surveying and Mapping, PLLC
 P.O. Box 238 Wilburton, OK 74578
 Ph. 918-465-5711 Fax 918-465-5030
 Certificate of Authorization No. 5348
 Expires June 30, 2016

Certification:
 This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.

Lance G. Mathis
LANCE G. MATHIS 05/31/16
 OK LPLS 1664



Invoice #6398
 Date Staked : 05/25/16 By : C.K.
 Date Drawn : 05/27/16 By : J.H.