I NUMBER: 029 21343 zontal Hole Oil & Gas	OIL & GAS OKLAHO	CORPORATION COMMISSIC CONSERVATION DIVISION P.O. BOX 52000 MA CITY, OK 73152-2000 Rule 165:10-3-1)	Approval Date: 08/18/2016 Expiration Date: 02/18/2017
	E	ERMIT TO DRILL	
VELL LOCATION: Sec: 04 Twp: 1N Rge: POT LOCATION: NW NW NW NW	FEET FROM QUARTER: FROM N	ORTH FROM WEST 15 235	
Lease Name: OWL ROAD		-5/8H	Well will be 215 feet from nearest unit or lease boundary.
Operator BRAVO ARKOMA LLC Name:		Telephone: 9188944440; 9188944	
BRAVO ARKOMA LLC			
1323 E 71ST ST STE 400		37234 CR	
TULSA, OK	74136-5067	CENTRAH	
2 WOODFORD 3 HUNTON 4 SYLVAN 5	7300 7500 7730	7 8 9 10	Increased Descript Orders
Spacing Orders: No Spacing	Location Exception O		Increased Density Orders:
Pending CD Numbers: 201602191 201602190 201602191			Special Orders:
Total Depth: 14000 Ground Elevation:	658 Surface Ca	asing: 1000	Depth to base of Treatable Water-Bearing FM: 250
Under Federal Jurisdiction: No	Fresh Water S	upply Well Drilled: No	Surface Water used to Drill: Yes
PIT 1 INFORMATION			isposal of Drilling Fluids:
Type of Pit System: ON SITE Type of Mud System: AIR		A. Evaporation/dewate	er and backfilling of reserve pit.
Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N	v base of pit? Y	F. Haul to Commercial 551649	soil farming facility: Sec. 14 Twn. 7N Rng. 9E Cnty. 63 Order No:
Wellhead Protection Area? N		H. SEE MEMO	
Pit is located in a Hydrologically Sensitive Area	a.		
, , ,			
Category of Pit: 4			
, , ,			

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

 PIT 2 INFORMATION

 Type of Pit System:
 CLOSED Closed System Means Steel Pits

 Type of Mud System:
 WATER BASED

 Chlorides Max: 8000 Average: 5000
 Is depth to top of ground water greater than 10ft below base of pit?
 Y

 Within 1 mile of municipal water well?
 N

 Wellhead Protection Area?
 N

 Pit
 is located in a Hydrologically Sensitive Area.

 Category of Pit:
 C

 Liner not required for Category: C
 Pit Location is

 Pit Location is
 BED AQUIFER

Pit Location Formation: SAVANNA

PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation: SAVANNA

HORIZONTAL HOLE 1

Sec 08 Twp 1N Rge 9E County COAL Spot Location of End Point: S2 N2 SF SF Feet From: SOUTH 1/4 Section Line: 760 Feet From: EAST 1/4 Section Line: 660 Depth of Deviation: 6600 Radius of Turn: 1003 Direction: 187 Total Length: 5825 Measured Total Depth: 14000 True Vertical Depth: 7730 End Point Location from Lease, Unit, or Property Line: 660 Notes: Category Description DEEP SURFACE CASING HYDRAULIC FRACTURING

SING8/16/2016 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF
CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR
SURFACE CASINGURING8/16/2016 - G71 - OCC 165:10-3-10 REQUIRES: 1) THE CHEMICAL DISCLOSURE OF HYDRAULIC
FRACTURING INGREDIENTS FOR ALL WELLS BE REPORTED TO FRACFOCUS USING THE
FOLLOWING LINK HTTP://FRACFOCUS.ORG/ WITH NOTICE GIVEN 48 HOURS IN ADVANCE OF
FRACTURING TO THE LOCAL OCC DISTRICT OFFICE; AND, 2) PRIOR TO COMMENCEMENT OF
FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE ALSO GIVEN FIVE BUSINESS
DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME
COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE.

Category	Description
MEMO	8/16/2016 - G71 - PITS 2 & 3 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 3 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 201602190	8/17/2016 - G60 - (640) 5 & 8-1N-9E EXT 650787 CNEY, WDFD, HNTN, OTHER COMPL. INT. (HNTN) NLT 606' FB COMPL. INT. (CNEY, SLVN) NLT 330' FB COMPL. INT. (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL (COEXIST WITH SP. ORDER 108560 HNTN) NO OP. NAMED REC. 8-15-16 (JOHNSON)
PENDING CD - 201602191	8/17/2016 - G60 - (I.O.) 5 & 8-1N-9E EST MULTIUNIT HORIZONTAL WELL X201602190 CNEY, WDFD, HNTN (CNEY, HNTN, SLVN ARE ASSOCIATED COMMON SOURCES OF SUPPLY TO WDFD) 38% 5-1N-9E 62% 8-1N-9E NO OP. NAMED REC. 8-15-16 (JOHNSON)
PENDING CD - 201602191	8/17/2016 - G60 - (I.O.) 5 & 8-1N-9E X201602191 CNEY, WDFD, HNTN, SLVN SHL NCT 2490' FNL, NCT 395' FWL (4-1N-9E) ** COMPL. INT. 5-1N-9E NCT 2145' FNL, NCT 0' FSL, NCT 330' FEL COMPL. INT. 8-1N-9E NCT 0' FNL, NCT 165' FSL, NCT 330 FEL NO OP. NAMED REC. 8-15-16 (JOHNSON)
	** ON ITD 215' FNL, 235' FEL (4-1N-9E) WILL BE CORRECTED AT HEARING FOR FINAL ORDER LOCATION EXCEPTION PER OPERATOR

