Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000 Rule 165: 10-3-25

API No.: 35039224610000

OTC Prod. Unit No.: 039-217493

Completion Report

Spud Date: September 21, 2015

Drilling Finished Date: November 18, 2015 1st Prod Date: May 09, 2016

Completion Date: May 07, 2016

Purchaser/Measurer: ENABLE MIDSTREAM PARTNERS First Sales Date: 05/09/2016

Drill Type: HORIZONTAL HOLE

Well Name: LUANN 1-13-12XH

- Location: CUSTER 13 15N 15W NW SE SE SE 375 FSL 500 FEL of 1/4 SEC Derrick Elevation: 1736 Ground Elevation: 1706
- Operator: CONTINENTAL RESOURCES INC 3186 PO BOX 269000 20 N BROADWAY AVE OKLAHOMA CITY, OK 73126-9000

	Completion Type		Location Exception	Increased Density
Х	Single Zone		Order No	Order No
	Multiple Zone		643108	There are no Increased Density records to display.
	Commingled	ן ו		

Casing and Cement										
Туре			Size	Weight	Grade	Fe	et	PSI	SAX	Top of CMT
SURFACE		13 3/8	54.50	J-55	502			400	SURFACE	
INTERMEDIATE		9 5/8	40	P-110	10392			793	7000	
PRODUCTION		4.6	23	P-110	212	223		1145	11030	
Liner										
Type Size Weight		ght	Grade Length		PSI	SAX	Тор	Depth	Bottom Depth	
There are no Liner records to display.										

Total Depth: 21223

Pae	cker	PI	ug
Depth	Brand & Type	Depth	Plug Type
There are no Packe	er records to display.	There are no Plug	records to display.

				Initial Tes	t Data					
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day			Choke Size	Flow Tubing Pressure
May 15, 2016	WOODFORD	20	52	1178	58900	4112	FLOWING		28/64	2350
		Con	npletion and	Test Data b	y Producing F	ormation				
	Formation Name: WOO	DFORD		Code: 31	9WDFD	С	lass: GAS			
	Spacing Orders			Perforated I						
Order No U		Init Size		From		T	о			
639522 MU		JLTIUNIT		13946		21	110			
6427	58	640			•					
6415	51									
	Acid Volumes		Fracture Treatments							
There ar	e no Acid Volume records	42	3,107 BBLS	-						

Formation	Тор	Were
WOODFORD	14408	Date

Were open hole logs run? Yes Date last log run: October 15, 2015

Were unusual drilling circumstances encountered? No Explanation:

Other Remarks

PRODUCTION STRING TAPERED TO 4.276, 18 LB. GRADE P-110. OCC -THIS DOCUMENT IS ACCEPTED BASED ON THE DATA SUBMITTED. THE FINAL LOCATION EXCEPTION ORDER HAS NOT BEEN ISSUED. IRREGULAR SECTION.

Lateral Holes

Sec: 12 TWP: 15N RGE: 15W County: CUSTER

SW SE SE NE

2505 FNL 371 FEL of 1/4 SEC

Depth of Deviation: 13496 Radius of Turn: 487 Direction: 1 Total Length: 7530

Measured Total Depth: 21223 True Vertical Depth: 13693 End Pt. Location From Release, Unit or Property Line: 371

FOR COMMISSION USE ONLY

Status: Accepted

1133575

Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000 Rule 165: 10-3-25

9

Form 1002A

1016EZ

	API No.: \$039224610000						Completion Report							Spud Da	ate: Septe	mber 21, 2015		
	OTC Prod. Unit No.: 039-217493											Dr	Drilling Finished Date: November 18,					
											- 1si	t Prod Da	ate: May 0	9, 2016				
													Comp	pletion Da	ate: May 0	7, 2016		
	Drill	Туре:	HORIZONTAL H															
	Well	Name:	LUANN 1-13-12XH								Purc PAR	haser/M	leasurer	ENABLE	MIDSTREAM			
	Location: CUSTER 13 15N 15W NW SE SE SE 375 FSL 500 FEL of 1/4 SEC Derrick Elevation: 1736 Ground Elevation:						Hutiunt: First Sales Date: 05/09/2016											
	Ópei	rator:	CONTINENTAL RE PO BOX 269000 20 N BROADWAY OKLAHOMA CITY,	AVE				Sec	, 12	· (36.5	5632	lo .	217	493A	Ĩ		
		Comp	letion Type		Location Exception						Increased Density							
	X Single Zone			Order No							Order No							
	Multiple Zone					643108					There	are no Ir	ncreased	sed Density records to display.				
Commingled																		
	A 1	r	FIO.		Casing ar							and Cement						
W	William F.O. 658669 SURF				уре		Size	ze Weight		Grade		Feet		PSI	SAX	Top of CMT		
	6.58667			SUF	SURFACE		13 3/8		50	J-55		502			400	SURFACE		
				INTERMEDIATE		9 5/8 40		0	P-110		10392		793		7000			
	PRODUCTION						4.6	2	3	P-1	P-110		23		1145	11030		
										Line	ər							
	Type Size						Weight Grade Length F					PSI SAX T		Тор	Depth	Bottom Depth		
						There are no Liner records to display.												
													Total	Depth: 21223				
	Packer												Plu	ıg				
			Depth	Brand & Type					Depth				Plug Type					

There are no Packer records to display.

Flug							
Depth	Plug Type						
There are no Plug records to display.							

319WDFD listle 1 5 XMT-shale



.

٤

1 of 3

FORM 1004