

Oklahoma Corporation Commission  
Oil & Gas Conservation Division  
Post Office Box 52000  
Oklahoma City, Oklahoma 73152-2000  
Rule 165: 10-3-25

Form 1002A

API No.: 35051240000000

**Completion Report**

Spud Date: November 03, 2015

OTC Prod. Unit No.: 051-217758-0-0000

Drilling Finished Date: May 16, 2016

1st Prod Date: August 11, 2016

Completion Date: June 25, 2016

**Drill Type: HORIZONTAL HOLE**

Well Name: BRAGG 2-35X02H

Purchaser/Measurer: 23439

Location: GRADY 35 3N 5W  
E2 NE NW NW  
330 FNL 1060 FWL of 1/4 SEC  
Latitude: -97.69980923 Longitude: 34.69494039  
Derrick Elevation: 0 Ground Elevation: 0

First Sales Date: 8/11/2016

Operator: VITRUVIAN II WOODFORD LLC 23144

4 WATERWAY SQ PL STE 400  
THE WOODLANDS, TX 77380-2692

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
648016	

Increased Density	
Order No	
647625	
647624	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13.38	68	J-55	1531		775	SURFACE
INTERMEDIATE	9.58	40	P-110	12735		1020	8000
PRODUCTION	5.5	23	P-110	25290		2525	9306

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

**Total Depth: 25290**

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Aug 22, 2016	WOODFORD			13670		4893	FLOWING	3601	43	

Completion and Test Data by Producing Formation										
Formation Name: WOODFORD			Code: 319WDFD			Class: GAS				
<b>Spacing Orders</b>				<b>Perforated Intervals</b>						
<b>Order No</b>	<b>Unit Size</b>			<b>From</b>	<b>To</b>					
648015	MULTIUNIT			16084	25132					
185087	640									
185688	640									
390852	640									
<b>Acid Volumes</b>				<b>Fracture Treatments</b>						
1666BBLS				476831 BBLS SLICK, 12722890# PROP						

Formation	Top
SYCAMORE	15539
WOODFORD	15725
HUNTON	16014

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks
OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED. IRREGULAR SECTION.

**Lateral Holes**

Sec: 2 TWP: 2N RGE: 5W County: GRADY

S2 SE SW SW

25 FSL 990 FWL of 1/4 SEC

Depth of Deviation: 15542 Radius of Turn: 477 Direction: 181 Total Length: 9709

Measured Total Depth: 25290 True Vertical Depth: 15662 End Pt. Location From Release, Unit or Property Line: 25

**FOR COMMISSION USE ONLY**

1134172

Status: Accepted