

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35073252340000

Completion Report

Spud Date: April 14, 2016

OTC Prod. Unit No.: 073-217497

Drilling Finished Date: May 09, 2016

1st Prod Date: May 28, 2016

Completion Date: May 23, 2016

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: STROUD 1H-29

Purchaser/Measurer: NEWFIELD

Location: KINGFISHER 29 15N 9W
SW SE SE SE
200 FSL 605 FEL of 1/4 SEC
Latitude: 35.74022 Longitude: -98.17377
Derrick Elevation: 1291 Ground Elevation: 1268

First Sales Date: 05/28/2016

Operator: NEWFIELD EXPLORATION MID-CON INC 20944

24 WATERWAY AVE STE 900
THE WOODLANDS, TX 77380-3197

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
	650515
	651116

Increased Density	
Order No	
There are no Increased Density records to display.	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	40	J-55	496	1000	365	SURFACE
INTERMEDIATE	9 5/8	40	P-110 HC	9034	3500	592	8869
PRODUCTION	5 1/2	20	XP-STC	15436	2100	1130	14992

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 15455

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Jun 06, 2016	MISSISSIPPIAN(EX CHESTER)	894	42	3298	3689	125	FLOWING	1200	19	

Completion and Test Data by Producing Formation										
Formation Name: MISSISSIPPIAN(EX CHESTER)			Code: 359MSNLC			Class: OIL				
Spacing Orders				Perforated Intervals						
Order No		Unit Size		From			To			
649977		640		10641			15455			
Acid Volumes				Fracture Treatments						
301 GALLONS 15% HCL				7,873,180 # PROPPANT						
				12,963 BLWTR						

Formation	Top
------------------	------------

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks
OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED. IRREGULAR SECTION.

Lateral Holes
Sec: 29 TWP: 15N RGE: 9W County: KINGFISHER
NE NW NW NE
44 FNL 2233 FEL of 1/4 SEC
Depth of Deviation: 6698 Radius of Turn: 9105 Direction: 360 Total Length: 5000
Measured Total Depth: 15455 True Vertical Depth: 10121 End Pt. Location From Release, Unit or Property Line: 44

FOR COMMISSION USE ONLY	
Status: Accepted	1133706

Well Location Plat

M & M Land Surveying, Inc.



520 "E" Street NW. Ardmore, OK. 73401
 Office 580-226-0446 Mobile 580-221-4999 Fax 580-226-7158

Company Name: Newfield Exploration Mid-Continent, Inc. Lease Name: Stroud #1H-29
 Section 29 Township 15 North Range 9 West County Kingfisher Oklahoma

Surface Location 200' FSL - 605' FEL Elevation 1268' Good Location? Yes

Topography

Location fell in pasture,
±250' West of pipeline,
208' North of fence.



Scale: 1" = 1000'
 Invoice #15397
 Date 9/21/15
 Elevations of Proposed Pad Corners
 NW/C - N/A
 NE/C - N/A
 SE/C - N/A
 SW/C - N/A

Coordinates were derived from GPS RTK methods and are only accurate within ±10 feet

Location GPS NAD 27
 Oklahoma North
 Surface Location
 Latitude: 35.74018°
 Longitude: 98.17343°
 Y= 269,477'
 X = 1,948,528'

Location NAD 83
 Surface Location
 Latitude: 35.74022°
 Longitude: 98.17377°
 Y= 269,499'
 X = 1,916,930'

Best Accessibility to Location
From the North

Distance & Direction From From the Jct. of U.S. # 81 and the Kingfisher and Canadian County line, go 8 miles West along the county line, then 2 miles North and 3 miles West on county Highway or Town roads to the Northeast corner of section 29.

CERTIFICATE:

I, D. Harry McClintick, a Registered Land Surveyor in the state of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown.

D. Harry McClintick
 D. Harry McClintick, R.P.L.S. # 1367, CA # 3093

This location has been staked according to the best official survey records available to us, but its accuracy is not guaranteed. Please review this plat and notify us immediately of any discrepancy.

The distances shown in parenthesis () are calculated distances based on the quarter section being 2640' and have not been measured.

