

Oklahoma Corporation Commission
 Oil & Gas Conservation Division
 Post Office Box 52000
 Oklahoma City, Oklahoma 73152-2000
 Rule 165: 10-3-25

Form 1002A

API No.: 35073252510000

Completion Report

Spud Date: March 11, 2016

OTC Prod. Unit No.: 073-217449

Drilling Finished Date: April 03, 2016

1st Prod Date: April 26, 2016

Completion Date: April 21, 2016

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: ROSALIE 1H-25X

Purchaser/Measurer: NEWFIELD

Location: KINGFISHER 36 17N 9W
 SE SE SW SW
 270 FSL 1170 FWL of 1/4 SEC
 Latitude: 35.89932 Longitude: -98.1171
 Derrick Elevation: 1248 Ground Elevation: 1224

First Sales Date: 04/26/2016

Operator: NEWFIELD EXPLORATION MID-CON INC 20944

24 WATERWAY AVE STE 900
 THE WOODLANDS, TX 77380-3197

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
651157

Increased Density
Order No
There are no Increased Density records to display.

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	9 5/8	40	J-55	620		245	SURFACE
PRODUCTION	5 1/2	20	P-110	19202	1200	2440	18892

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 19215

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
May 23, 2016	MISSISSIPPIAN	578	46	1139	1971	634	FLOWING	1000	64	274

Completion and Test Data by Producing Formation																
Formation Name: MISSISSIPPIAN	Code: 359MSSP	Class: OIL														
<table border="1"> <thead> <tr> <th colspan="2">Spacing Orders</th> </tr> <tr> <th>Order No</th> <th>Unit Size</th> </tr> </thead> <tbody> <tr> <td>650664</td> <td>640</td> </tr> <tr> <td>651156</td> <td>MULTIUNIT</td> </tr> </tbody> </table>		Spacing Orders		Order No	Unit Size	650664	640	651156	MULTIUNIT	<table border="1"> <thead> <tr> <th colspan="2">Perforated Intervals</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>9425</td> <td>19059</td> </tr> </tbody> </table>	Perforated Intervals		From	To	9425	19059
Spacing Orders																
Order No	Unit Size															
650664	640															
651156	MULTIUNIT															
Perforated Intervals																
From	To															
9425	19059															
<table border="1"> <thead> <tr> <th>Acid Volumes</th> </tr> </thead> <tbody> <tr> <td>15,708 GALLONS 15% HCL</td> </tr> </tbody> </table>		Acid Volumes	15,708 GALLONS 15% HCL	<table border="1"> <thead> <tr> <th>Fracture Treatments</th> </tr> </thead> <tbody> <tr> <td>14,428,240 # PROPPANT 80,600 BLWTR</td> </tr> </tbody> </table>	Fracture Treatments	14,428,240 # PROPPANT 80,600 BLWTR										
Acid Volumes																
15,708 GALLONS 15% HCL																
Fracture Treatments																
14,428,240 # PROPPANT 80,600 BLWTR																

Formation	Top
MSL1	9040
MANNING	8432
CHESTER	8168

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks
OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED. IRREGULAR SECTION.

Lateral Holes
Sec: 25 TWP: 17N RGE: 9W County: KINGFISHER NE NW NW NW 50 FNL 440 FWL of 1/4 SEC Depth of Deviation: 8654 Radius of Turn: 750 Direction: 355 Total Length: 9226 Measured Total Depth: 19215 True Vertical Depth: 8678 End Pt. Location From Release, Unit or Property Line: 50

FOR COMMISSION USE ONLY
Status: Accepted
1133742

Well Location Plat



M & M Land Surveying, Inc.

520 "E" Street NW. Ardmore, OK. 73401
Office 580-226-0446 Mobile 580-221-4999 Fax 580-226-7158

Company Name: Newfield Exploration Mid-Continent, Inc. Lease Name: Rosalie # 1H-25X
 Section 36 Township 17 North Range 9 West County Kingfisher Oklahoma
 Surface Location 270' FSL - 1170' FWL Elevation 1224' Good Location? Yes

Topography

Location fell in pasture,
210' North of waterway.



Scale: 1" = 1000'
 Invoice #15371
 Date 9/9/15
 Elevations of Proposed Pad Corners
 NW/C - N/A
 NE/C - N/A
 SE/C - N/A
 SW/C - N/A

Coordinates were derived from GPS RTK methods and are only accurate within ±10 feet

Location GPS NAD 27 Oklahoma North
 Surface Location
 Latitude: 35.89927°
 Longitude: 98.11676°
 Y= 327,363'
 X = 1,965,418'

Location NAD 83
 Surface Location
 Latitude: 35.89932°
 Longitude: 98.11710°
 Y= 327,387'
 X = 1,933,818'

Best Accessibility to Location
From the South

Distance & Direction From From the Jct. of U.S. #81 and S.H. #33, go 10.5 miles West on S.H. #33, then 3 miles North, to a point .1 miles East of the Southwest corner of section 36.
 Highway or Town _____

CERTIFICATE:

I, D. Harry McClintick, a Registered Land Surveyor in the state of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown.

D. Harry McClintick 9/12/15
 D. Harry McClintick, R.P.L.S. # 1367, CA # 3093

This location has been staked according to the best official survey records available to us, but its accuracy is not guaranteed. Please review this plat and notify us immediately of any discrepancy.

The distances shown in parenthesis () are calculated distances based on the quarter section being 2640' and have not been measured.

