

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35073252640000

Completion Report

Spud Date: June 25, 2016

OTC Prod. Unit No.: 073-217788-0-0000

Drilling Finished Date: July 11, 2016

1st Prod Date: August 23, 2016

Completion Date: July 30, 2016

Drill Type: HORIZONTAL HOLE

Well Name: HAWK 1906 7-13MH

Purchaser/Measurer:

Location: KINGFISHER 13 19N 6W
NW NW NE NE
208 FNL 1180 FEL of 1/4 SEC
Latitude: 36.12997 Longitude: 97.78591
Derrick Elevation: 0 Ground Elevation: 1061

First Sales Date:

Operator: OKLAHOMA ENERGY ACQUISITIONS LP 23509

15021 KATY FWY STE 400
HOUSTON, TX 77094-1900

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
656329

Increased Density
Order No
There are no Increased Density records to display.

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	16			123		27	SURFACE
SURFACE	9 5/8	36	J55	485		300	SURFACE
INTERMEDIATE	7	29	P110	7359		300	4029

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	P110	5135	0	0	7062	12197

Total Depth: 12198

Packer	
Depth	Brand & Type
7046	ASIII

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Sep 21, 2016	MISSISSIPPIAN	209	39	262	1254	675	GAS LIFT		OPEN	166

Completion and Test Data by Producing Formation			
Formation Name: MISSISSIPPIAN	Code: 359MSSP	Class: OIL	
Spacing Orders		Perforated Intervals	
Order No	Unit Size	From To	
650044	320	There are no Perf. Intervals records to display.	
Acid Volumes		Fracture Treatments	
6472 BBLS		279,331 BBLS SW; 4,751,000 LBS SAND	

Formation	Top
COTTAGE GROVE	5294
HOGSHOOTER	5677
CHECKERBOARD	5711
CLEVELAND	5779
BIG LIME	5932
OSWEGO (4TH)	6022
PRUE	6084
VERDIGRIS	6098
SKINNER	6109
PINK LIME	6207
RED FORK	6238
INOLA	6292
MANNING	6382
MRMC	6516
MLM	6621

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks
THIS WELL IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" CASING AT 7359' TO TERMINUS AT 12,198'. THE 4 1/2" LINER IS NOT CEMENTED. IRREGULAR SECTION.

Lateral Holes

Sec: 13 TWP: 19N RGE: 6W County: KINGFISHER

SW SE SE SE

219 FSL 418 FEL of 1/4 SEC

Depth of Deviation: 6612 Radius of Turn: 601 Direction: 182 Total Length: 4659

Measured Total Depth: 12198 True Vertical Depth: 7021 End Pt. Location From Release, Unit or Property Line: 219

FOR COMMISSION USE ONLY

1134388

Status: Accepted