

Oklahoma Corporation Commission  
Oil & Gas Conservation Division  
Post Office Box 52000  
Oklahoma City, Oklahoma 73152-2000  
Rule 165: 10-3-25

Form 1002A

API No.: 35051240290000

**Completion Report**

Spud Date: March 31, 2016

OTC Prod. Unit No.: 051-217866-0-0000

Drilling Finished Date: July 26, 2016

1st Prod Date: September 18, 2016

Completion Date: August 29, 2016

**Drill Type: HORIZONTAL HOLE**

Well Name: PARKS 4-14X23H

Purchaser/Measurer: 23439

Location: GRADY 14 4N 6W  
SE SE SW NE  
2385 FNL 1610 FEL of 1/4 SEC  
Latitude: -97.7962811 Longitude: 34.82010343  
Derrick Elevation: 0 Ground Elevation: 0

First Sales Date: 9/18/2016

Operator: VITRUVIAN II WOODFORD LLC 23144

4 WATERWAY SQ PL STE 400  
THE WOODLANDS, TX 77380-2692

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
	651119
	656055
	657112

Increased Density	
Order No	
	649789
	650080

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	20	106.5	J-55	725		805	SURFACE
SURFACE	13.38	68	J-55	3599		1580	SURFACE
INTERMEDIATE	9.58	40	P-110	13220		945	9320
PRODUCTION	5.5	23	P-110	23304		2085	12296

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

**Total Depth: 23304**

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Sep 23, 2016	WOODFORD	544	58	8255	15175	3948	FLOWING	3236	40	

Completion and Test Data by Producing Formation										
Formation Name: WOODFORD			Code: 319WDFD			Class: GAS				
<b>Spacing Orders</b>				<b>Perforated Intervals</b>						
<b>Order No</b>	<b>Unit Size</b>			<b>From</b>			<b>To</b>			
651454	MULTIUNIT			15710			23202			
389202	640									
212972	640									
<b>Acid Volumes</b>				<b>Fracture Treatments</b>						
2095 BBLS				316358 BBLS SLICK, 8319366# PROP						

Formation	Top
SYCAMORE	15044
WOODFORD	15278
HUNTON	15535

Were open hole logs run? No  
Date last log run:

Were unusual drilling circumstances encountered? No  
Explanation:

Other Remarks
OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED. IRREGULAR SECTION.

Lateral Holes
Sec: 23 TWP: 4N RGE: 6W County: GRADY
S2 SW SW SE
25 FSL 2310 FEL of 1/4 SEC
Depth of Deviation: 14981 Radius of Turn: 770 Direction: 182 Total Length: 7560
Measured Total Depth: 23304 True Vertical Depth: 14814 End Pt. Location From Release, Unit or Property Line: 25

FOR COMMISSION USE ONLY
Status: Accepted
1134462

