

Oklahoma Corporation Commission  
Oil & Gas Conservation Division  
Post Office Box 52000  
Oklahoma City, Oklahoma 73152-2000  
Rule 165: 10-3-25

Form 1002A

API No.: 35073253060000

**Completion Report**

Spud Date: July 09, 2016

OTC Prod. Unit No.: 073-217882-0-0000

Drilling Finished Date: July 24, 2016

1st Prod Date: September 26, 2016

Completion Date: August 18, 2016

**Drill Type: HORIZONTAL HOLE**

Well Name: OAK TREE 1605 2-30MH

Purchaser/Measurer:

Location: KINGFISHER 30 16N 5W  
SE SE SW SW  
195 FSL 1229 FWL of 1/4 SEC  
Latitude: 35.827771 Longitude: -97.776229  
Derrick Elevation: 0 Ground Elevation: 1083

First Sales Date:

Operator: OKLAHOMA ENERGY ACQUISITIONS LP 23509

15021 KATY FWY STE 400  
HOUSTON, TX 77094-1900

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
656720

Increased Density
Order No
There are no Increased Density records to display.

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	16		X42	123		27	SURFACE
SURFACE	9 5/8	36	J55	490		300	SURFACE
INTERMEDIATE	7	29	P110	7440		280	4491

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	P110	4946	0	0	7261	12207

**Total Depth: 12208**

Packer	
Depth	Brand & Type
7240	ASIII

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Oct 25, 2016	MISS'AN (EX CHESTER)	553	39	615	1112	1898	GAS LIFT		OPEN	171

Completion and Test Data by Producing Formation			
Formation Name: MISS'AN (EX CHESTER)	Code: 359MSNLC	Class: OIL	
<b>Spacing Orders</b>		<b>Perforated Intervals</b>	
<b>Order No</b>	<b>Unit Size</b>	<b>From</b> <b>To</b>	
652682	640	There are no Perf. Intervals records to display.	
<b>Acid Volumes</b>		<b>Fracture Treatments</b>	
5234 BBLS		259,288 BBLS SW; 4,741,120 LBS PROPPANT	

Formation	Top
COTTAGE GROVE	5773
LAYTON	5855
CHECKERBOARD	6150
CLEVELAND	6273
OSWEGO (4TH)	6626
PRUE	6691
VERDIGRIS	6740
SKINNER	6783
PINK LIME	6817
RED FORK	6883
INOLA	6953
MRMC	6971
MLM	7278

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks
THIS WELL IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" CASING AT 7438' TO TERMINUS AT 12,208'. THE 4 1/2" LINER IS NOT CEMENTED. OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED. IRREGULAR SECTION.

**Lateral Holes**

Sec: 30 TWP: 16N RGE: 5W County: KINGFISHER

NE NE NW NW

209 FNL 1088 FWL of 1/4 SEC

Depth of Deviation: 6844 Radius of Turn: 553 Direction: 357 Total Length: 4493

Measured Total Depth: 12208 True Vertical Depth: 7339 End Pt. Location From Release, Unit or Property Line: 209

**FOR COMMISSION USE ONLY**

1134713

Status: Accepted