PI NUMBER: 051 24081 rizontal Hole Oil & Gas	OIL & GAS COI P.O OKLAHOMA	PORATION COMMISSION NSERVATION DIVISION . BOX 52000 CITY, OK 73152-2000 e 165:10-3-1)	Approval Date: Expiration Date:	11/14/2016 05/14/2017	
	DED	MIT TO DRILL			
		MIT TO DRILL			
WELL LOCATION: Sec: 24 Twp: 10N Rge: 6W	County: GRADY				
SPOT LOCATION: NE SE NW NW	FEET FROM QUARTER: FROM NORT	H FROM WEST			
	SECTION LINES: 925	1100			
Lease Name: DREAM COOLER 12-13-10-6	Well No: 2XH	Well v	vill be 925 feet from neare	st unit or lease boundary.	
Operator LINN OPERATING INC Name:	Te	lephone: 4052412237; 4052412	OTC/OCC Number:	22182 0	
LINN OPERATING INC 14701 HERTZ QUAIL SPRINGS PKWY		WHB CATTLE, L	P. FORMERLY W.H. BR	AUM FAMILY L.P.	
		3000 NE 63RD S	STREET	EET	
OKLAHOMA CITY, OK	73134-2641	OKLAHOMA CIT	CITY OK 73121		
			-	-	
2 3 4 5 Spacing Orders: 653152	Location Exception Orders:	7 8 9 10	Increased Density Orders:		
		·			
Pending CD Numbers: 201601535 201603517 201603516		1700	Special Orders:		
Total Depth: 19436 Ground Elevation: 120	⁸ Surface Casin	g: 1500	Depth to base of Treatable Water	-Bearing FM: 40	
Under Federal Jurisdiction: No	Fresh Water Supply	Well Drilled: Yes	Surface Water u	sed to Drill: No	
PIT 1 INFORMATION		Approved Method for disposal of	of Drilling Fluids:		
Type of Pit System: CLOSED Closed System Means Sto	eel Pits	A. Evaporation/dewater and ba	ackfilling of reserve pit.		
Type of Mud System: WATER BASED		B. Solidification of pit contents			
Chlorides Max: 5000 Average: 3000		D. One time land application (REQUIRES PERMIT) PERMIT NO: 16-31793			
Is depth to top of ground water greater than 10ft below bas	e of pit? Y	H. SEE MEMO			
Within 1 mile of municipal water well? N					
Wellhead Protection Area? N					
Pit is located in a Hydrologically Sensitive Area.					
Category of Pit: C					
Liner not required for Category: C					
Pit Location is ALLUVIAL					
Pit Location Formation: ALLUVIUM					

PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C

Pit Location is ALLUVIAL
Pit Location Formation: ALLUVIUM

HORIZONTAL HOLE 1

Sec	12	Twp	10N	Rge	6W	С	ounty	CANADIAN
Spot	Locatior	n of En	d Poin	t: NE	E N	W	NW	NW
Feet	From:	NOF	RTH	1/4 Se	ction L	ine:	2	30
Feet	From:	WE	ST	1/4 Se	ction L	ine:	3	80
Depth of Deviation: 9005								
Radius of Turn: 175								
Direction: 358								
Total Length: 10156								
Measured Total Depth: 19436								
True Vertical Depth: 9236								
End Point Location from Lease,								
Unit, or Property Line: 230								
Notes:								
•								

NOICS.	
Category	Description
DEEP SURFACE CASING	11/8/2016 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	11/8/2016 - G71 - OCC 165:10-3-10 REQUIRES: 1) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS BE REPORTED TO FRACFOCUS USING THE FOLLOWING LINK HTTP://FRACFOCUS.ORG/ WITH NOTICE GIVEN 48 HOURS IN ADVANCE OF FRACTURING TO THE LOCAL OCC DISTRICT OFFICE; AND, 2) PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE ALSO GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE.
MEMO	11/8/2016 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS (REQUIRED - CANADIAN RIVER), PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 201601535	11/8/2016 - G64 - (640)(HOR) 12-10N-6W EST MSSP, OTHER POE TO BHL NCT 165' FNL & FSL, NCT 330' FEL & FWL (COEXIST SP. ORDER 242971 MISS & ORDER 237454 MISS) REC. 11-3-2016 (LEAVITT)
PENDING CD - 201603516	11/8/2016 - G64 - (I.O.) 12 & 13-10N-6W X201601535 MSSP, OTHER X653152 MSSP, OTHER COMPL. INT. (13-10N-6W) NCT 165' FSL, NCT 0' FNL, NCT 330' FWL COMPL. INT. (12-10N-6W) NCT 0' FSL, NCT 165' FNL, NCT 330' FWL NO OP. NAMED REC. 11-3-2016 (LEAVITT)

051 24081 DREAM COOLER 12-13-10-6 2XH

PENDING CD - 201603517

SPACING - 653152

Description

11/8/2016 - G64 - (E.O.) 12 & 13-10N-6W EST MULTIUNIT HORIZONTAL WELL X201601535 MSSP, OTHER X653152 MSSP, OTHER 50% 12-10N-6W 50% 13-10N-6W NO OP. NAMED REC. 11-3-2016 (LEAVITT)

11/8/2016 - G64 - (640)(HOR) 13-10N-6W EXT 643197 MSSP, OTHER POE TO BHL NCT 660' FB (COEXIST SP. ORDER 242971 MISS)