

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35073253280000

Completion Report

Spud Date: July 04, 2016

OTC Prod. Unit No.: 073-217936-0-0000

Drilling Finished Date: July 21, 2106

1st Prod Date: October 08, 2016

Completion Date: September 18, 2016

Drill Type: HORIZONTAL HOLE

Well Name: PINEHURST 1706 5-5MH

Purchaser/Measurer:

Location: KINGFISHER 8 17N 6W
NW NW NE NE
240 FNL 1260 FEL of 1/4 SEC
Latitude: 35.97007 Longitude: -97.85791
Derrick Elevation: 0 Ground Elevation: 1078

First Sales Date:

Operator: OKLAHOMA ENERGY ACQUISITIONS LP 23509

15021 KATY FWY STE 400
HOUSTON, TX 77094-1900

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	655721		There are no Increased Density records to display.	
	Commingled				

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	16		X42	125		27	SURFACE
SURFACE	9 5/8	36	J55	473		300	SURFACE
INTERMEDIATE	7	29	P110	7843		285	5209

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	P110	5381	0	0	7533	12914

Total Depth: 12920

Packer	
Depth	Brand & Type
7501	ASIII

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Nov 06, 2016	MISS'AN (EX CHESTER)	456	39	70	154	1755	GAS LIFT		OPEN	136

Completion and Test Data by Producing Formation									
Formation Name: MISS'AN (EX CHESTER)				Code: 359MSNLC			Class: OIL		
Spacing Orders				Perforated Intervals					
Order No		Unit Size		From			To		
655104		640		There are no Perf. Intervals records to display.					
Acid Volumes				Fracture Treatments					
5817 BBLS HCL				324,444 BBLS SW; 6,623,700 LBS SAND					

Formation	Top
BIG LIME	6381
OSWEGO (4TH)	6533
PRUE	6607
VERDIGRIS	6640
SKINNER	6726
PINK LIME	6750
RED FORK	6793
INOLA	6838
MANNING	6905
MERAMEC	7055
MLM	7342

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks
THIS WELL IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" CASING AT 7843' TO TERMINUS AT 12,920'. THE 4 1/2" LINER IS NOT CEMENTED. OCC: THE FINAL LOCATION EXCEPTION ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED. IRREGULAR SECTION.

Lateral Holes
Sec: 5 TWP: 17N RGE: 6W County: KINGFISHER NW NE NW NE 205 FNL 1844 FEL of 1/4 SEC Depth of Deviation: 6988 Radius of Turn: 651 Direction: 358 Total Length: 5016 Measured Total Depth: 12920 True Vertical Depth: 7506 End Pt. Location From Release, Unit or Property Line: 205

FOR COMMISSION USE ONLY
Status: Accepted