

Oklahoma Corporation Commission  
Oil & Gas Conservation Division  
Post Office Box 52000  
Oklahoma City, Oklahoma 73152-2000  
Rule 165: 10-3-25

Form 1002A

API No.: 35119243990001

**Completion Report**

Spud Date: May 07, 2016

OTC Prod. Unit No.: 119-217765-0-0000

Drilling Finished Date: May 15, 2016

1st Prod Date: October 21, 2016

Completion Date: October 21, 2016

**Drill Type: HORIZONTAL HOLE**

Well Name: ALDEAN 3-10-18N-2E 2WH

Purchaser/Measurer:

Location: PAYNE 34 19N 2E  
SW SE SE SW  
300 FSL 2120 FWL of 1/4 SEC  
Derrick Elevation: 973 Ground Elevation: 950

First Sales Date:

Operator: WHITE STAR PETROLEUM LLC 23358  
PO BOX 13360  
301 NW 63RD ST STE 600  
OKLAHOMA CITY, OK 73113-1360

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
650249	

Increased Density	
Order No	
650173	
650174	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	9-5/8"	36#	J-55	512		202	SURFACE
PRODUCTION	5-1/2"	20#	P-110	14742		1560	3875

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

**Total Depth: 14742**

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
14567	FRAC PLUG

**Initial Test Data**

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Oct 25, 2016	WOODFORD	261		325	1245	901	PUMPING			

**Completion and Test Data by Producing Formation**

Formation Name: WOODFORD

Code: 319WDFD

Class: OIL

**Spacing Orders**

Order No	Unit Size
649899	640
649900	640
650247	MULTIUNIT

**Perforated Intervals**

From	To
5091	14547

**Acid Volumes**

3760 BLS ACID
---------------

**Fracture Treatments**

157,546 BLS WATER
4,961,691 LBS SAND

Formation	Top
WOODFORD	4564

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

**Other Remarks**

OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED. IRREGULAR SECTION.

**Lateral Holes**

Sec: 10 TWP: 18N RGE: 2E County: PAYNE

SW SW SW SE

193 FSL 2480 FEL of 1/4 SEC

Depth of Deviation: 3882 Radius of Turn: 1261 Direction: 182 Total Length: 9599

Measured Total Depth: 14742 True Vertical Depth: 4641 End Pt. Location From Release, Unit or Property Line: 193

**FOR COMMISSION USE ONLY**

1134865

Status: Accepted