

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35119244090000

Completion Report

Spud Date: May 23, 2016

OTC Prod. Unit No.: 119-217761-0-0000

Drilling Finished Date: May 31, 2016

1st Prod Date: October 21, 2016

Completion Date: October 21, 2016

Drill Type: HORIZONTAL HOLE

Well Name: ALDEAN 34-27-19N-2E 2WH

Purchaser/Measurer:

Location: PAYNE 34 19N 2E
NW SE SE SW
360 FSL 2120 FWL of 1/4 SEC
Derrick Elevation: 971 Ground Elevation: 948

First Sales Date:

Operator: WHITE STAR PETROLEUM LLC 23358
PO BOX 13360
301 NW 63RD ST STE 600
OKLAHOMA CITY, OK 73113-1360

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
653007	

Increased Density	
Order No	
653002	
653001	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	9-5/8"	36#	J-55	511		202	SURFACE
PRODUCTION	5-1/2"	20#	P-110	14125		1470	3648

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 14125

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
13949	FRAC PLUG

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Oct 29, 2016	WOODFORD	194		301	1552	807	PUMPING			

Completion and Test Data by Producing Formation

Formation Name: WOODFORD

Code: 319WDFD

Class: OIL

Spacing Orders

Order No	Unit Size
652771	640
652772	640
653004	MULTIUNIT

Perforated Intervals

From	To
5070	13929

Acid Volumes

3314 BLS ACID

Fracture Treatments

155,173 BLS WATER
4,956,818 LBS SAND

Formation	Top
WOODFORD	4566

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED. IRREGULAR SECTION.

Lateral Holes

Sec: 27 TWP: 19N RGE: 2E County: PAYNE

NE NE NE NW

185 FNL 2488 FEL of 1/4 SEC

Depth of Deviation: 3882 Radius of Turn: 1324 Direction: 2 Total Length: 8919

Measured Total Depth: 14125 True Vertical Depth: 4576 End Pt. Location From Release, Unit or Property Line: 185

FOR COMMISSION USE ONLY

1134872

Status: Accepted