

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35073252710000

Completion Report

Spud Date: April 04, 2016

OTC Prod. Unit No.: 073-217951-0-0000

Drilling Finished Date: April 16, 2016

1st Prod Date: October 14, 2016

Completion Date: October 04, 2016

Drill Type: HORIZONTAL HOLE

Well Name: BARBARA 1706 3-22MH

Purchaser/Measurer:

Location: KINGFISHER 22 17N 6W
NW NW NW NW
233 FNL 235 FWL of 1/4 SEC
Latitude: 35.941 Longitude: -97.83525
Derrick Elevation: 0 Ground Elevation: 1005

First Sales Date:

Operator: OKLAHOMA ENERGY ACQUISITIONS LP 23509

15021 KATY FWY STE 400
HOUSTON, TX 77094-1900

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
657973

Increased Density
Order No
There are no Increased Density records to display.

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	16		X42	100		27	SURFACE
SURFACE	9 5/8	36	J55	475		333	SURFACE
INTERMEDIATE	7	26	P110	7872		280	4947

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	P110	5134	0	0	7582	12716

Total Depth: 12717

Packer	
Depth	Brand & Type
7509	ASIII

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Nov 12, 2016	MISSISSIPPIAN	409	39	325	795	1286	GAS LIFT		OPEN	153

Completion and Test Data by Producing Formation			
Formation Name: MISSISSIPPIAN	Code: 359MSSP	Class: OIL	
Spacing Orders		Perforated Intervals	
Order No	Unit Size	From To	
650962	640	There are no Perf. Intervals records to display.	
Acid Volumes		Fracture Treatments	
5927 BBLs		337,999 BBLs SW; 6,989,400 LBS SAND	

Formation	Top
COTTAGE GROVE	5645
HOGSHOOTER	5925
CHECKERBOARD	6034
CLEVELAND	6077
BIG LIME	6307
OSWEGO (4TH)	6451
PRUE	6525
VERDIGRIS	6556
SKINNER	6597
PINK LIME	6665
RED FORK	6687
INOLA	6733
MERAMEC	6903
MLM	7249

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks
THIS WELL IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" CASING AT 7872' TO TERMINUS AT 12,717'. THE 4 1/2" LINER IS NOT CEMENTED. IRREGULAR SECTION.

Lateral Holes

Sec: 22 TWP: 17N RGE: 6W County: KINGFISHER

SE SW SE SW

206 FSL 1916 FWL of 1/4 SEC

Depth of Deviation: 7953 Radius of Turn: 530 Direction: 178 Total Length: 4764

Measured Total Depth: 12717 True Vertical Depth: 7370 End Pt. Location From Release, Unit or Property Line: 206

FOR COMMISSION USE ONLY

1134978

Status: Accepted