

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35073253050000

Completion Report

Spud Date: July 25, 2016

OTC Prod. Unit No.: 073-217932-0-0000

Drilling Finished Date: August 07, 2016

1st Prod Date: October 11, 2016

Completion Date: September 27, 2016

Drill Type: HORIZONTAL HOLE

Well Name: DALMORE 1706 4-17MH

Purchaser/Measurer:

Location: KINGFISHER 17 17N 6W
NW NW NE NW
215 FNL 1474 FWL of 1/4 SEC
Latitude: 35.9557 Longitude: 97.8666
Derrick Elevation: 0 Ground Elevation: 1022

First Sales Date:

Operator: OKLAHOMA ENERGY ACQUISITIONS LP 23509

15021 KATY FWY STE 400
HOUSTON, TX 77094-1900

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
652899

Increased Density
Order No
There are no Increased Density records to display.

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	16		X42	125		27	SURFACE
SURFACE	9 5/8	36	J55	485		300	SURFACE
INTERMEDIATE	7	29	P110	7933		280	6250

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	P110	5146	0	0	7626	12772

Total Depth: 12773

Packer	
Depth	Brand & Type
7583	ASIII

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data										
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Nov 09, 2016	MISSISSIPPIAN	160	39	54	338	927	GAS LIFT		OPEN	194

Completion and Test Data by Producing Formation			
Formation Name: MISSISSIPPIAN	Code: 359MSSP	Class: OIL	
Spacing Orders		Perforated Intervals	
Order No	Unit Size	From To	
652294	640	There are no Perf. Intervals records to display.	
Acid Volumes		Fracture Treatments	
6532 BBLS		347,717 BBLS SW; 6,814,200 LBS PROPPANT	

Formation	Top
COTTAGE GROVE	5745
HOGSHOOTER	6043
CHECKERBOARD	6132
CLEVELAND	6186
BIG LIME	6376
OSWEGO (4TH)	6540
PRUE	6596
VERDIGRIS	6626
SKINNER	6653
PINK LIME	6725
RED FORK	6775
INOLA	6867
MRMC	7052
MLM	7346

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks
THIS WELL IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" CASING AT 7933' TO TERMINUS AT 12,773'. THE 4 1/2" LINER IS NOT CEMENTED. OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED. IRREGULAR SECTION.

Lateral Holes

Sec: 17 TWP: 17N RGE: 6W County: KINGFISHER

SW SW SW SE

205 FSL 2639 FEL of 1/4 SEC

Depth of Deviation: 7059 Radius of Turn: 651 Direction: 180 Total Length: 4670

Measured Total Depth: 12773 True Vertical Depth: 7502 End Pt. Location From Release, Unit or Property Line: 205

FOR COMMISSION USE ONLY

1134979

Status: Accepted