Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35073253400000

Completion Report

Spud Date: July 30, 2016

OTC Prod. Unit No.: 073-217957-0-0000

Drilling Finished Date: August 12, 2016

1st Prod Date: October 12, 2016

Completion Date: September 29, 2016

Drill Type: **HORIZONTAL HOLE**

Well Name: GREGORY 1705 6-1MH

Purchaser/Measurer:

Location: KINGFISHER 1 17N 5W
SE SE SW SE
208 FSL 1520 FEL of 1/4 SEC
Latitude: 35.97157 Longitude: -97.6805
Derrick Elevation: 0 Ground Elevation: 1154

First Sales Date:

Operator: OKLAHOMA ENERGY ACQUISITIONS LP 23509

15021 KATY FWY STE 400
HOUSTON, TX 77094-1900

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
655701
658528

Increased Density
Order No
There are no Increased Density records to display.

Casing and Cement

Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	16		X42	123		27	SURFACE
SURFACE	9 5/8	36	J55	483		300	SURFACE
INTERMEDIATE	7	29	P110	7215		285	4406

Liner

Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	P110	5157	0	0	6941	12098

Total Depth: 12100

Packer	
Depth	Brand & Type
6916	ASIII

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Nov 23, 2016	MISS'AN (EX CHESTER)	212	39	1089	5137	965	GAS LIFT		OPEN	93

Completion and Test Data by Producing Formation

Formation Name: MISS'AN (EX CHESTER) Code: 359MSNLC Class: OIL

Spacing Orders

Order No	Unit Size
655154	640

Perforated Intervals

From	To
There are no Perf. Intervals records to display.	

Acid Volumes

5657 BBLS HCL

Fracture Treatments

320,842 BBLS SLICKWATER; 6,758,075 LBS SAND

Formation	Top
COTTAGE GROVE	5364
HOGSHOOTER	5643
CHECKERBOARD	5742
CLEVELAND	5776
BIG LIME	5992
OSWEGO (4TH)	6120
PRUE	6182
VERDIGRIS	6219
SKINNER	6283
PINK LIME	6321
RED FORK	6351
INOLA	6391
MRMC	6441
MLM	6703

Were open hole logs run? No
Date last log run:

Were unusual drilling circumstances encountered? No
Explanation:

Other Remarks

THIS WELL IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" CASING AT 7215' TO TERMINUS AT 12,100'. THE 4 1/2" LINER IS NOT CEMENTED.
IRREGULAR SECTION.

Lateral Holes

Sec: 1 TWP: 17N RGE: 5W County: KINGFISHER

NW NW NE NE

207 FNL 1151 FEL of 1/4 SEC

Depth of Deviation: 6354 Radius of Turn: 763 Direction: 358 Total Length: 4612

Measured Total Depth: 12100 True Vertical Depth: 6792 End Pt. Location From Release, Unit or Property Line: 207

FOR COMMISSION USE ONLY

1135037

Status: Accepted